

19951106 084

UNITED STATES ARMY
COMMUNICATIONS-ELECTRONICS COMMAND





FORT MONMOUTH, NEW JERSEY

ADVANCE PLANNING
BRIEFING FOR INDUSTRY

"FOCUSING INDEPENDENT RESEARCH and
DEVELOPMENT TECHNOLOGY"

SHERATON EATONTOWN HOTEL AND CONFERENCE CENTER
OCTOBER 11-12, 1995



25 OCT 1995


AMSEL-PE-OD

MEMORANDUM FOR Ms. Barbara Lesser, Office of User Services, Cameron Station,
Bldg. 5, #5D162, Alexandria, VA 22304-6145

SUBJECT: Proceedings Book for Advance Planning Briefing for Industry (APBI)

1. On 11-12 October 1995 a Level II APBI entitled, "Focusing Independent Research and Development Technology," was held at the Sheraton Eatontown Hotel and Conference Center, Eatontown, New Jersey. Request that the enclosed copy (Encl 1) of the proceedings be microfiched and catalogued. These proceedings have been cleared by our Public Affairs Office (Encl 2).
2. When an accession number has been assigned to this document, request that you call Mari Aufseeser, DSN 992-5054/Comm, 908-532-5054, so that this office can relay the information upon request to Industry representatives.
3. Point of contact for this action is Mari Aufseeser.
4. CECOM Bottom Line: THE SOLDIER.

2 Encl
as


ROBERT M. CALVELLO
Chief, Operations Division

AMSEL-IO

24 Oct 95

MEMORANDUM FOR Director, Program Analysis and Evaluation,
ATTN: AMSEL-PE (Mari Aufseeser)

SUBJECT: Clearance of Paper
TITLE: Advanced Plan Briefing for Industries (APBI)
Briefings

The above mentioned Paper has been cleared by this office with the following determination:

--X-a. No further clearance is necessary unless substantial changes/additional information is incorporated during future revision.

----b. Clearance of the paper for this occasion does not constitute approval for other publications/presentations. Requests for future dissemination must be submitted through the Public Affairs Office for clearance.


----c. Clearance of the abstract only. Clearance of the abstract does not constitute clearance of the completed paper which must be submitted through channels to the Public Affairs Office.

----d. In accordance with DOD Regulation 5230.25, Distribution Statement "D" is imposed limiting disclosure to Department of Defense and DOD contractors only. Other requests must be submitted through channels to the Public Affairs Office.

2. The POC for this office is Ms. Patricia A. Hutt, X21258.

3. CECOM Bottom Line: THE SOLDIER.

- 2 Encls
1. SEL Form 1012
2. Manuscript


HENRY T. KEARNEY
Chief, Public Affairs

CLEARANCE OF INFORMATION FOR PUBLIC RELEASE

SUBMIT FORM IN TRIPLICATE

TO: Commanding General
U.S. Army CECOM
ATTN: AMSEL-IO
Fort Monmouth, NJ 07703

FROM: Director, USACECOM
IEW Directorate
ATTN:
Vint Hill Farms Station
Warrenton, VA 22186-5100

DATE: 27 September 1995

In compliance with AR 360-5, Public Information Policies, as supplemented, the attached manuscript/abstract is submitted for clearance for public release. (Material should be in triplicate if local clearance is requested, in 6 copies if clearance through Headquarters, AMC, is required. See paragraphs (A) through (J) below.)

Section I. DESCRIPTION

TITLE

PAPER

ABSTRACT

BRIEFING - LEVEL II Advanced Planning Briefing for Industry

AUTHOR(S) See attached list
EXT NO. See attached list

NAME OF PERIODICAL: Level II APBI
(If for publication): include
country if outside CONUS

NAME OF CONFERENCE OR SYMPOSIUM: Level II Advanced Planning Briefing for Industry

DATE AND PLACE OF CONFERENCE: 11&12 October, Sheraton Hotel, Eatontown, New Jersey

DATE CLEARANCE REQUIRED: 11 October 1995

PAPER	_____	DOES
	<u>X</u>	DOES NOT CONTAIN
		CLASSIFIED INFORMATION

MATERIAL _____ DOES X DOES NOT CONTAIN ANY OF THE FOLLOWING
MATTER REQUIRING AMC CLEARANCE. IF SO,
INDICATE AND EXPLAIN ON SEPARATE SHEET:

- (A) Information which is, or has the potential to become an item of national or international interest.
- (B) Information on subjects of potential controversy among the military services or with other federal agencies.
- (C) Information on new weapons or weapon systems or significant modifications or improvements to existing weapon systems, equipment or techniques. Unofficial prior publication of such information does not constitute authority for official release.
- (D) Information on significant military operations, potential operations, operations security, and military exercises.


- (E) Information on military applications in space; nuclear weapons and the components of such weapons, including nuclear weapons effects research; chemical warfare and defensive biological and toxic research; high-energy lasers and particle beams technology; and nuclear, biological, chemical (NBC) defense testing and production, policy, programs and activities.
- (F) Information and materials involving critical military technology.
- (G) Information concerning communications security, electronic warfare, signal intelligence, and computer security.
- (H) Subject matter involving or referring to other service interests or those of other government activities outside AMC.
- (I) Information on tests, studies or experiments not yet officially approved by appropriate echelon concerned. For example, studies or tests directed by DA, AMC, or other agencies outside CECOM.
- (J) Subject matter which by its nature implies official positions or scientific attitudes of higher headquarters or agencies outside CECOM.


Section II. DISTRIBUTION CONTROL

If document contains technical data and information, a Distribution Statement must be applied. Indicate the appropriate statement in this section.

Section III. VERIFICATION

The attached manuscript does not contain classified information. Additionally, understanding the hostile intelligence interest in open source publications, the undersigned have individually conducted an OPSEC review, find its release clearly consistent with the AMC OPSEC Program, and verify that it DOES X DOES NOT contain any of the matter itemized in paragraphs (A) through (J).


 Activity OPSEC Officer
 LINDA ROSEBORO
 OPSEC Officer


 Director, USAIEWD
 DOUGLAS S. WOOD
 Director, USAIEWD


 Activity Security Manager
 WILLIAM M. WHITFORD
 Security Officer

HISA-FM 76-86

Briefings
 Signal Processing
 Non-Comm EW Receivers
 2
 ADV IEW Antenna Tech.
 TACTICAL INTELL. DATA FUSION

CLEARANCE OF INFORMATION FOR PUBLIC RELEASE

SUBMIT FORM IN TRIPLICATE

TO: Commanding General
U.S. Army CECOM
ATTN: AMSEL-IO
Fort Monmouth, N.J. 07703

FROM Night Vision

DATE 26 Sept 95

E/O

In compliance with AR 360-5, Public Information Policies, as supplemented, the attached manuscript/abstract is submitted for clearance for public release. (Material should be in triplicate if local clearance is requested, in 6 copies if clearance through Headquarters, AMC, is required. See paragraphs (A) through (J) below.)

Section I. DESCRIPTION

TITLE Advanced optics

PAPER Smart Focal Plane Arrays

ABSTRACT Open Architecture

AUTHOR(S) Air/Land Enhanced Recon
Mine Detection

NAME OF PERIODICAL

(If for publication): include

EXT NO. Adv. Countermeasure Techniques country if outside CONUS

NAME OF CONFERENCE OR SYMPOSIUM (If for presentation): AP&D 12th Symposium

DATE AND PLACE OF CONFERENCE: 11 & 12 October

DATE CLEARANCE REQUIRED:

PAPER

DOES
☒ DOES NOT CONTAIN
CLASSIFIED INFORMATION

MATERIAL

DOES



DOES NOT CONTAIN ANY OF THE FOLLOWING
MATTER REQUIRING AMC CLEARANCE. IF SO,
INDICATE AND EXPLAIN ON SEPARATE SHEET:

- (A) Information which is, or has the potential to become an item of national or international interest.
- (B) Information on subjects of potential controversy among the military services or with other federal agencies.
- (C) Information on new weapons or weapon systems or significant modifications or improvements to existing weapon systems, equipment or techniques. Unofficial prior publication of such information does not constitute authority for official release.
- (D) Information on significant military operations, potential operations, operations security, and military exercises.

SEL FORM 1012, 1 Oct 1985

(Supersedes SEL Form 1011 and SEL Form 1012, 1 Jan 79)

- (E) Information on military applications in space; nuclear weapons and the components of such weapons, including nuclear weapons effects research; chemical warfare and defensive biological and toxic research; high-energy lasers and particle beams technology; and nuclear, biological, chemical (NBC) defense testing and production, policy, programs and activities.
- (F) Information and materials involving critical military technology.
- (G) Information concerning communications security, electronic warfare, signal intelligence, and computer security.
- (H) Subject matter involving or referring to other service interests or those of other government activities outside AMC.
- (I) Information on tests, studies or experiments not yet officially approved by appropriate echelon concerned. For example, studies or tests directed by DA, AMC, or other agencies outside CECOM.
- (J) Subject matter which by its nature implies official positions or scientific attitudes of higher headquarters or agencies outside CECOM.

Section II. DISTRIBUTION CONTROL

If document contains technical data and information, a Distribution Statement must be applied. Indicate the appropriate statement in this section.

Section III. VERIFICATION

The attached manuscript does not contain classified information. Additionally, understanding the hostile intelligence interest in open source publications, the undersigned have individually conducted an OPSEC review, find its release clearly consistent with the AMC OPSEC Program, and verify that it DOES DOES NOT contain any of the matter itemized in paragraphs (A) through (J).

Activity OPSEC Officer
(Typed name and title) Signature

Branch Chief
(Typed name and title) Signature

WILLIAM M SELF III

Activity Security Manager
(Typed name and title) Signature

Division Director
(Typed name and title) Signature

KATHLEEN A. YAMARIK

CLEARANCE OF INFORMATION FOR PUBLIC RELEASE

SUBMIT FORM IN TRIPLICATE

TO: Commanding General
U.S. Army CECOM

FROM AMSEL-RD-SE-SED

DATE 21 Sep 95

ATTN: AMSEL-EA-PA (C. Zizos)
Fort Monmouth, N.J. 07703

In compliance with AR 360-5, Public Information Policies, as supplemented, the attached manuscript/abstract is submitted for clearance for public release. (Material should be in triplicate if local clearance is requested, in 6 copies if clearance through Headquarters, AMC, is required. See paragraphs (A) through (J) below.)

Section I. DESCRIPTION

TITLE *Software Reverse*
PAPER
ABSTRACT

AUTHOR(S)

NAME OF PERIODICAL

(If for publication): include
country if outside CONUS

EXT NO.

NAME OF CONFERENCE OR SYMPOSIUM (If for presentation):

DATE AND PLACE OF CONFERENCE: APBI, 11-12 Oct 95, Sheraton, Eatontown, NJ

DATE CLEARANCE REQUIRED:

PAPER

☐ **DOES**
☐ **DOES NOT CONTAIN**
CLASSIFIED INFORMATION

MATERIAL ☐ **DOES**

☒ **DOES NOT CONTAIN ANY OF THE FOLLOWING**
MATTER REQUIRING AMC CLEARANCE. IF SO,
INDICATE AND EXPLAIN ON SEPARATE SHEET:

- (A) Information which is, or has the potential to become an item of national or international interest.
- (B) Information on subjects of potential controversy among the military services or with other federal agencies.
- (C) Information on new weapons or weapon systems or significant modifications or improvements to existing weapon systems, equipment or techniques. Unofficial prior publication of such information does not constitute authority for official release.
- (D) Information on significant military operations, potential operations, operations security, and military exercises.

SEL FORM 1012, 1 Oct 1985

(Supersedes SEL Form 1011 and SEL Form 1012, 1 Jan 79)

- (E) Information on military applications in space; nuclear weapons and the components of such weapons, including nuclear weapons effects research; chemical warfare and defensive biological and toxic research; high-energy lasers and particle beams technology; and nuclear, biological, chemical (NBC) defense testing and production, policy, programs and activities.
- (F) Information and materials involving critical military technology.
- (G) Information concerning communications security, electronic warfare, signal intelligence, and computer security.
- (H) Subject matter involving or referring to other service interests or those of other government activities outside AMC.
- (I) Information on tests, studies or experiments not yet officially approved by appropriate echelon concerned. For example, studies or tests directed by DA, AMC, or other agencies outside CECOM.
- (J) Subject matter which by its nature implies official positions or scientific attitudes of higher headquarters or agencies outside CECOM.

Section II. DISTRIBUTION CONTROL

If document contains technical data and information, a Distribution Statement must be applied. Indicate the appropriate statement in this section.

Section III. VERIFICATION

The attached manuscript does not contain classified information. Additionally, understanding the hostile intelligence interest in open source publications, the undersigned have individually conducted an OPSEC review, find its release clearly consistent with the AMC OPSEC Program, and verify that it

DOES ☒ DOES NOT contain any of the matter itemized in paragraphs (A) through (J).

JOSEPH C. ARETINO, OPSEC OFC

Activity OPSEC Officer

(Typed name and title)

Signature

MYRON S. SAMUEL, Asso Dir, ROM

Branch Chief

(Typed name and title)

Signature

JOSEPH C. ARETINO, Ch, Security Ofc

Activity Security Manager

(Typed name and title)

Signature

DENNIS J. TURNER, Dir, SED

Division Director

(Typed name and title)

Signature

CLEARANCE OF INFORMATION FOR PUBLIC RELEASE

SUBMIT FORM IN TRIPLICATE

TO: Commanding General
U.S. Army CECOM
ATTN: AMSEL-IO
Fort Monmouth, N.J. 07703

FROM SPACE & TERRESTRIAL DATE 20 SEP 95
COMMUNICATIONS DIRECTORATE
(S&TCD)

In compliance with AR 360-5, Public Information Policies, as supplemented, the attached manuscript/abstract is submitted for clearance for public release. (Material should be in triplicate if local clearance is requested, in 6 copies if clearance through Headquarters, AMC, is required. See paragraphs (A) through (J) below.)

Section I. DESCRIPTION

TITLE Future Digital Radio
PAPER High Capacity Trunk Radio
ABSTRACT ATM Technology

AUTHOR(S) Personal Comm. System
EXT NO. Global Broadcast System

NAME OF PERIODICAL
(If for publication): include
country if outside CONUS

NAME OF CONFERENCE OR SYMPOSIUM (If for presentation): ADVANCED PLANNING BRIEFING
TO INDUSTRY

DATE AND PLACE OF CONFERENCE: 11-12 OCT 95 SHERATON, EATONTOWN, NJ

DATE CLEARANCE REQUIRED:

PAPER

☒ DOES
☒ DOES NOT CONTAIN
CLASSIFIED INFORMATION

MATERIAL

☐ DOES

☒ DOES NOT CONTAIN ANY OF THE FOLLOWING
MATTER REQUIRING AMC CLEARANCE. IF SO,
INDICATE AND EXPLAIN ON SEPARATE SHEET:

- (A) Information which is, or has the potential to become an item of national or international interest.
- (B) Information on subjects of potential controversy among the military services or with other federal agencies.
- (C) Information on new weapons or weapon systems or significant modifications or improvements to existing weapon systems, equipment or techniques. Unofficial prior publication of such information does not constitute authority for official release.
- (D) Information on significant military operations, potential operations, operations security, and military exercises.

- (E) Information on military applications in space; nuclear weapons and the components of such weapons, including nuclear weapons effects research; chemical warfare and defensive biological and toxic research; high-energy lasers and particle beams technology; and nuclear, biological, chemical (NBC) defense testing and production, policy, programs and activities.
- (F) Information and materials involving critical military technology.
- (G) Information concerning communications security, electronic warfare, signal intelligence, and computer security.
- (H) Subject matter involving or referring to other service interests or those of other government activities outside AMC.
- (I) Information on tests, studies or experiments not yet officially approved by appropriate echelon concerned. For example, studies or tests directed by DA, AMC, or other agencies outside CECOM.
- (J) Subject matter which by its nature implies official positions or scientific attitudes of higher headquarters or agencies outside CECOM.

Section II. DISTRIBUTION CONTROL

If document contains technical data and information, a Distribution Statement must be applied. Indicate the appropriate statement in this section.

Section III. VERIFICATION

The attached manuscript does not contain classified information. Additionally, understanding the hostile intelligence interest in open source publications, the undersigned have individually conducted an OPSEC review, find its release clearly consistent with the AMC OPSEC Program, and verify that it DOES ☒ DOES NOT contain any of the matter itemized in paragraphs (A) through (J).

Barry S. Salis
Activity OPSEC Officer
 (Typed name and title) Signature
 BARRY S. SALIS
 DEP DIRECTOR, S&TCD

Branch Chief
 (Typed name and title) Signature

Activity Security Manager
 (Typed name and title) Signature

Division Director
 (Typed name and title) Signature

CLEARANCE OF INFORMATION FOR PUBLIC RELEASE

SUBMIT FORM IN TRIPLICATE

TO: Commanding General
U.S. Army CECOM
ATTN: AMSEL-IO
Fort Monmouth, N.J. 07703

FROM Command, Central & DATE 26 Sept 95
Systems Integration Directorate

In compliance with AR 360-5, Public Information Policies, as supplemented, the attached manuscript/abstract is submitted for clearance for public release. (Material should be in triplicate if local clearance is requested, in 6 copies if clearance through Headquarters, AMC, is required. See paragraphs (A) through (J) below.)

Section I. DESCRIPTION C2SID

⑩ TITLE Battle Planning
PAPER Los C2
ABSTRACT Nav. Tech.
AUTHOR(S) Mission Rehearsal
Interactive speech

Briefings & Post Papers for the
APBI.

NAME OF PERIODICAL
(If for publication): include
country if outside CONUS

EXT NO.

NAME OF CONFERENCE OR SYMPOSIUM (If for presentation): APBI

DATE AND PLACE OF CONFERENCE: 11-12 Oct 95, Sherman, Eatontown NJ

DATE CLEARANCE REQUIRED:

PAPER

DOES
☒ DOES NOT CONTAIN
CLASSIFIED INFORMATION

MATERIAL

DOES



DOES NOT CONTAIN ANY OF THE FOLLOWING
MATTER REQUIRING AMC CLEARANCE. IF SO,
INDICATE AND EXPLAIN ON SEPARATE SHEET:

- (A) Information which is, or has the potential to become an item of national or international interest.
- (B) Information on subjects of potential controversy among the military services or with other federal agencies.
- (C) Information on new weapons or weapon systems or significant modifications or improvements to existing weapon systems, equipment or techniques. Unofficial prior publication of such information does not constitute authority for official release.
- (D) Information on significant military operations, potential operations, operations security, and military exercises.

SEL FORM 1012, 1 Oct 1985

(Supersedes SEL Form 1011 and SEL Form 1012, 1 Jan 79)

- (E) Information on military applications in space; nuclear weapons and the components of such weapons, including nuclear weapons effects research; chemical warfare and defensive biological and toxic research; high-energy lasers and particle beams technology; and nuclear, biological, chemical (NBC) defense testing and production, policy, programs and activities.
- (F) Information and materials involving critical military technology.
- (G) Information concerning communications security, electronic warfare, signal intelligence, and computer security.
- (H) Subject matter involving or referring to other service interests or those of other government activities outside AMC.
- (I) Information on tests, studies or experiments not yet officially approved by appropriate echelon concerned. For example, studies or tests directed by DA, AMC, or other agencies outside CECOM.
- (J) Subject matter which by its nature implies official positions or scientific attitudes of higher headquarters or agencies outside CECOM.

Section II. DISTRIBUTION CONTROL

If document contains technical data and information, a Distribution Statement must be applied. Indicate the appropriate statement in this section.

Section III. VERIFICATION

The attached manuscript does not contain classified information. Additionally, understanding the hostile intelligence interest in open source publications, the undersigned have individually conducted an OPSEC review, find its release clearly consistent with the AMC OPSEC Program, and verify that it DOES ☒ DOES NOT contain any of the matter itemized in paragraphs (A) through (J).

Activity OPSEC Officer
(Typed name and title) Signature

Branch Chief
(Typed name and title) Signature

Activity Security Manager
(Typed name and title) Signature

Division Director
(Typed name and title) Signature

Anthony J. Mancariello
Anthony J. MANCARIELLO
LTC, AD



DEPARTMENT OF THE ARMY
HEADQUARTERS, US ARMY COMMUNICATIONS-ELECTRONICS COMMAND
AND FORT MONMOUTH
FORT MONMOUTH, NEW JERSEY 07703-5000



REPLY TO
ATTENTION OF

Office of the Commanding General

Ladies and Gentlemen:

On behalf of the Communications-Electronics Command (CECOM), I am pleased to present these proceedings of the "Focusing Independent Research and Development Technology" Advance Planning Briefing for Industry (APBI). The objective of this publication is to provide industry with a thorough understanding and update on our major technology program needs to facilitate the integration and focus of industry's Independent Research and Development (IR&D).

It is imperative that we continue to work together and maintain an open dialogue to ensure the Department of the Army is kept abreast of industry's IR&D and that future IR&D efforts are focused on the technology needs of tomorrow's Army.

I welcome your participation in our APBI program.

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

Sincerely,

Gerard P. Brohm
Major General, U.S. Army
Commanding

NOTICE

This publication contains the briefings presented during this Advance Planning Briefing for Industry (APBI). Following the APBI, you may obtain a Proceedings Book for a minimum fee by contacting the Defense Technical Information Center (DTIC). The telephone number is (800) 225-3842 (Option 5).

We hope that the above publication proves beneficial to your long-range planning efforts. If you have any additional questions and/or suggestions, please contact the Program Analysis and Evaluation Directorate, AMSEL-PE-OD, ATTN: Mari Aufseeser, (908) 532-5054.

DISCLAIMER

The use of trade names in this report does not constitute official endorsement of any products. This report may not be cited for purpose of advertisement.

The information provided is accurate as of the time of publication, and may be subject to change.

THE OVERALL CLASSIFICATION
OF THIS PUBLICATION IS
UNCLASSIFIED

ADVANCE PLANNING BRIEFING FOR INDUSTRY
"FOCUSING INDEPENDENT RESEARCH AND DEVELOPMENT TECHNOLOGY"

OCTOBER 11-12, 1995
SHERATON EATONTOWN HOTEL AND CONFERENCE CENTER
EATONTOWN, NEW JERSEY

MEETING CHAIRMAN
MR. ROBERT F. GIORDANO
DIRECTOR, RESEARCH, DEVELOPMENT AND ENGINEERING CENTER
CECOM

AGENDA

WEDNESDAY, OCTOBER 11, 1995

0700	REGISTRATION
0800	ADMINISTRATIVE REMARKS
0810	WELCOMING REMARKS MG Gerard P. Brohm Commanding General, CECOM
0830	A "WIN WIN" CONCEPT FOR GOVERNMENT & INDUSTRY Mr. Robert F. Giordano Director, Research, Development and Engineering Center CECOM
0910	INTEGRATION OF DEFENSE AND COMMERCIAL INDUSTRIAL TECH BASES Dr. Lance A. Davis Deputy Director, Defense Research and Engineering Office of the Secretary of Defense
0950	QUESTION AND ANSWER PERIOD
1000	BREAK
1020	DIGITAL INTEGRATED LAB AS A TESTBED Dr. Myron Holinko Digital Integrated Lab Manager Special Projects Office for Digitization, CECOM

SESSION I: SOFTWARE ENGINEERING

1100 SOFTWARE TECHNOLOGY OVERVIEW
Mr. Myron S. Samuel
Associate Director, Software Engineering
CECOM

TACTICAL SOFTWARE TECHNOLOGY

1110 SOFTWARE REUSE
Mr. John Willison
Project Leader
Software Engineering Directorate, CECOM

1125 QUESTION AND ANSWER PERIOD

1135 LUNCH

SESSION II: SPACE & TERRESTRIAL (S&T) COMMUNICATIONS

1300 BITS STRATEGY AND OVERVIEW
COL Kenneth A. Thomas
Acting Director, Space & Terrestrial Communications, CECOM

COMMUNICATIONS TECHNOLOGY

1315 FUTURE DIGITAL RADIO
Mr. Michael DiJulio
Chief, Wireless Networks Division
Space & Terrestrial Communications Directorate, CECOM

1330 HIGH CAPACITY TRUNK RADIO (HCTR)
Mr. Kenneth Brockel
Product Development Engineer
Space & Terrestrial Communications Directorate, CECOM

TACTICAL C3 TECHNOLOGY INTEGRATION

1345 ASYNCHRONOUS TRANSFER MODE (ATM) TECHNOLOGY
Mr. Larry Levine
Chief, High Speed Networks Division
Space & Terrestrial Communications Directorate, CECOM

1400 PERSONAL COMMUNICATIONS SYSTEM (PCS)
Dr. Howard Wichansky
Chief, Advanced Wireless Technology Branch
Space & Terrestrial Communications Directorate, CECOM

SATELLITE COMMUNICATIONS (SATCOM)

1415 DIGITAL BROADCAST SATELLITE/GLOBAL BROADCAST SERVICE
 Mr. Jeffrey Ozimek
 Chief, Systems and Technology Division
 Space & Terrestrial Communications Directorate, CECOM

1430 QUESTION AND ANSWER PERIOD

1440 BREAK

***SESSION III: COMMAND, CONTROL (C2) AND SYSTEMS INTEGRATION
TECHNICAL PROGRAMS***

1500 STRATEGY AND OVERVIEW
 Mr. George R. Oliva, Jr.
 Acting Director, Command, Control and Systems Integration
 CECOM

TACTICAL AUTOMATION

1510 BATTLE PLANNING
 Mr. Harold Gorman
 Project Engineer
 Command, Control and Systems Integration Directorate, CECOM

1525 LOGISTICS COMMAND & CONTROL
 LTC Anthony J. Manganiello
 Total Distribution ATD Manager
 Command, Control and Systems Integration Directorate, CECOM

AVIATION INTEGRATION TECHNOLOGY

1540 NAVIGATION TECHNOLOGY
 Dr. John Niemela
 Chief, Electronic Systems Division
 Command, Control and Systems Integration Directorate, CECOM

1555 MISSION REHEARSAL
 Mr. Peter Csiky
 Project Engineer
 Command, Control and Systems Integration Directorate, CECOM

1605 INTERACTIVE SPEECH TECHNOLOGY
 Mr. Lockwood Reed
 Project Engineer
 Command, Control and Systems Integration Directorate, CECOM

TACTICAL POWER

1615 FUEL CELLS
Mr. Richard Jacobs
Project Engineer
Command, Control and Systems Integration Directorate, CECOM

1630 QUESTION AND ANSWER PERIOD

1700 RECEPTION

THURSDAY, OCTOBER 12, 1995

0755 ADMINISTRATIVE REMARKS

SESSION IV: INTELLIGENCE AND ELECTRONIC WARFARE (IEW)

0800 STRATEGY AND OVERVIEW
Dr. Francis Williams
Associate Director for Systems
Intelligence and Electronic Warfare Directorate, CECOM

ADVANCED NON-COMMUNICATIONS ELECTRONIC WARFARE

0825 SIGNAL PROCESSING
Dr. Frank J. Elmer
Senior Technical Advisor
Intelligence and Electronic Warfare Directorate, CECOM

ADVANCED COMMUNICATIONS ELECTRONIC COUNTERMEASURES DEMOS

0840 NON-COMMUNICATIONS ELECTRONIC WARFARE RECEIVERS
Dr. Frank J. Elmer
Senior Technical Advisor
Intelligence and Electronic Warfare Directorate, CECOM

0855 ADVANCED IEW ANTENNA TECHNOLOGY
Mr. John T. Dizer
Chief, Information Warfare Technology Branch
Intelligence and Electronic Warfare Directorate, CECOM

WARFARE PROCESSING TECHNIQUES

0910 TACTICAL INTELLIGENCE DATA FUSION
Mr. Richard Antony
Computer Scientist
Intelligence and Electronic Warfare Directorate, CECOM

0930 QUESTION AND ANSWER PERIOD

0940 BREAK

SESSION V: NIGHT VISION ELECTRONIC SENSORS

1000 STRATEGY AND OVERVIEW

Mr. Larry L. Fillian
Director, Technical Support and Operations
Night Vision and Electronic Sensors Directorate, CECOM

NIGHT VISION ELECTRO-OPTICS TECHNOLOGY

1025 ADVANCED OPTICS AND DISPLAY APPLICATIONS
Mr. William P. Markey
Chief, Advanced Optics
Night Vision and Electronic Sensors Directorate, CECOM

1035 SMART FOCAL PLANE ARRAYS
Mr. David J. Bohan
Chief, Advanced Infrared Technology
Night Vision and Electronic Sensors Directorate, CECOM

NIGHT VISION ADVANCED TECHNOLOGY

1050 OPEN ARCHITECTURE ATR PROCESSING
Mr. David J. Bohan
Chief, Advanced Infrared Technology
Night Vision and Electronic Sensors Directorate, CECOM

1105 AIR/LAND ENHANCED RECONNAISSANCE AND TARGETING
Dr. Donald A. Reago
Chief, Airborne Applications
Night Vision and Electronic Sensors Directorate, CECOM

1120 QUESTION AND ANSWER PERIOD

1130 LUNCH

SESSION V: NIGHT VISION ELECTRONIC SENSORS (CON'T)

MOBILITY EQUIPMENT TECHNOLOGY

1300 MINE DETECTION AND NEUTRALIZATION
Mr. Robert L. Barnard
Chief, Mine Detection
Night Vision and Electronic Sensors Directorate, CECOM

TACTICAL ELECTRONIC WARFARE TECHNOLOGY

1315 ADVANCED COUNTERMEASURE TECHNIQUES
Mr. Joseph C. O'Connell
Chief, EO/IR Countermeasures
Night Vision and Electronic Sensors Directorate, CECOM

1330 QUESTION AND ANSWER PERIOD

1345 CLOSING REMARKS

CONTENTS

	Page
WELCOMING REMARKS	1
A "WIN WIN" CONCEPT FOR GOVERNMENT & INDUSTRY	5
INTEGRATION OF DEFENSE AND COMMERCIAL INDUSTRIAL TECH BASES ...	51
DIGITAL INTEGRATED LAB AS A TESTBED	55
SESSION I: SOFTWARE ENGINEERING	85
Software Technology Overview	87
TACTICAL SOFTWARE TECHNOLOGY	93
Software Reuse	95
SESSION II: SPACE & TERRESTRIAL (S&T) COMMUNICATIONS	109
BITS Strategy and Overview	111
COMMUNICATIONS TECHNOLOGY	123
Future Digital Radio	125
High Capacity Trunk Radio (HCTR)	143
TACTICAL C3 TECHNOLOGY INTEGRATION	155
Asynchronous Transfer Mode (ATM) Technology	157
Personal Communications System (PCS)	169
SATELLITE COMMUNICATIONS (SATCOM)	183
Digital Broadcast Satellite/Global Broadcast Service	185

	Page
SESSION III: COMMAND, CONTROL (C2) AND SYSTEMS INTEGRATION TECHNICAL PROGRAMS.....	199
Strategy and Overview	201
TACTICAL AUTOMATION	211
Battle Planning.....	213
Logistics Command & Control.....	223
AVIATION INTEGRATION TECHNOLOGY	233
Navigation Technology	235
Mission Rehearsal	247
Interactive Speech Technology.....	257
TACTICAL POWER.....	265
Fuel Cells	267
SESSION IV: INTELLIGENCE AND ELECTRONIC WARFARE (IEW).....	279
Strategy and Overview	281
ADVANCED NON-COMMUNICATIONS ELECTRONIC WARFARE	303
Signal Processing	305
ADVANCED COMMUNICATIONS ELECTRONIC COUNTERMEASURES DEMOS.....	321
Non-Communications Electronic Warfare Receivers.....	323
Advanced IEW Antenna Technology.....	339
WARFARE PROCESSING TECHNIQUES	353
Tactical Intelligence Data Fusion.....	355

	Page
SESSION V: NIGHT VISION ELECTRONIC SENSORS	371
Strategy and Overview	373
NIGHT VISION ELECTRO-OPTICS TECHNOLOGY	393
Advanced Optics and Display Applications.....	395
Smart Focal Plane Arrays	405
NIGHT VISION ADVANCED TECHNOLOGY	415
Open Architecture ATR Processing.....	417
Air/Land Enhanced Reconnaissance and Targeting	427
MOBILITY EQUIPMENT TECHNOLOGY	439
Mine Detection and Neutralization	441
TACTICAL ELECTRONIC WARFARE TECHNOLOGY.....	453
Advanced Countermeasure Techniques	455
CLOSING REMARKS	469
SYMPOSIUM PARTICIPANTS	473




WELCOMING REMARKS

MG GERARD P. BROHM
COMMANDING GENERAL
CECOM

NOTES

U.S.ARMY
COMMUNICATIONS - ELECTRONICS COMMAND



RESEARCH, DEVELOPMENT & ENGINEERING CENTER

A “*WIN*” Concept

For

Government & Industry


Presented by

Robert F. Giordano

Director

CECOM


Research, Development & Engineering Center



CECOM RDEC

- Key Part of Today's Army
- Essential Part of Tomorrow's Army


Technology Changing the Face of the Battlefield



OPERATING PRINCIPLES

- ➔ Expedite Insertion of Key Technology: be the Technical Bridge between PEO/PMs; Basic Research; Early Technology; Industry; Battellelabs
- ➔ Harness Potential of Automation and Digital Technology for Near Term and Future Use
 - Capitalize on “power” in Information Technology
 - Evolve Technical Architecture
 - Build Flexible Infrastructure
 - Integrate Military and Commercial Technology
- ➔ Integrate Emerging Technology with Evolving Doctrine
- ➔ Build the Technological Foundation for the Future

WE MUST BRIDGE TECHNOLOGY TO APPLICATIONS



The Modernization Vision Of Ensuring Land Force Dominance

Win the Information War

Protect the Force

Dominate Maneuver

Execute Precision Strikes

Project & Sustain Combat Power

THE CORNERSTONE IS DIGITIZING THE BATTLEFIELD

OUR MISSION FOCUSED ON THE ARMY OBJECTIVES

Provide the Technology/Products for the Army To
Sustain Operational Superiority in Any Environment
Around the World

HORIZONTAL AND VERTICAL INTEGRATION



ARMY OBJECTIVES	CERDEC MISSION						
	OWN THE NIGHT	OWN THE SPECTRUM	KNOW THE ENEMY	DIGITIZE THE BATTLE-FIELD	PROVIDE SOFTWARE FORCE MULTIPLIER	LOGISTICS TECHNOLOGY	ENHANCED SURVIVABILITY
WIN THE INFO WAR	X	X	X	X	X	X	X
PROTECT THE FORCE	X	X	X	X	X	X	X
DOMINATE MANEUVERS	X	X	X	X	X	X	X
PROJECT & SUSTAIN MANEUVERS	X	X	X	X	X	X	
EXECUTE PRECISION STRIKES	X	X	X	X	X	X	

Own the Night

Sensor Fusion

Common ATR Processor

Smart Sensors



1st Gen FLIR




Future Sensors




2nd Gen FLIR

- Increased Range
- Decreased Acquisition Time Lines
- Automatic Target Recognition & ID
- All Weather Capability




Sensors for the Battlefield



Common Ground Station Concept

SEE

HEAR



- Delivers Intel On Time To Influence Battles
- Close Dissemination Gap Between EAD Systems and Brigade Warfighter
- Allows Syntheses of Voluminous Data Into Relevant Visually Oriented Intelligence


OWNING THE ELECTROMAGNETIC SPECTRUM

OFFENSIVE CONTROL - *Exploit the Enemy's Use of the Spectrum*

Exploit Enemy Emissions to Determine Location and Order of Battle

Utilize Electronic
Attack to Deny
Timely Command
and Control


Identify and Locate
Command Posts
as Priority Targets
for Physical
Destruction



DECIMATE THE ENEMY'S COMMAND STRUCTURE



DOMINATE MANEUVER 21st CENTURY LAND WARRIOR

Focus: Data Network & Survivability




Denotes CECOM Programs * Integrated Into Data Network

Total Distribution - Technology Demonstrator



Digital Battlefield Communications Architectural Elements




Out Think !

Digital Battlefield For Force XXI

Battle Command


- HORIZONTAL INTEG
- TARGET HAND OVER

- SHARED MESSAGE SETS
- COMPATIBLE RADIOS/MODEMS
- NETS/ROUTING SOLUTIONS
- ALL LINKS ELEC DATA vs VOICE
- STANDARD PROTOCOLS



Situational Awareness


- COMMON PICTURE
- DOES NOT MEAN: Common Display
- IT DOES MEAN: Common Data For The Same Area On All Displays




FOCUSED INITIATIVES

- ➔ Integrated Product Teams
- ➔ Customer Focus
- ➔ Modeling and Simulation
- ➔ Digital Integrated and Distributed Labs
- ➔ Battlelabs as a “Real Time” Team Member
- ➔ “Pull” Research into Technology Applications
- ➔ Buy Commercial
- ➔ Establish Technology Alliances
- ➔ Establish and Enforce Architecture
- ➔ Software Prototyping to Expedite Products
- ➔ ATDs : *Foundation for the Future*


Integrated Product Teams



BANDWIDTH COMPRESSION ALGORITHM SELECTION




Systems Modeling & Simulation Process




MODELING & SIMULATION OBJECTIVES


NET STRUCTURE ANALYSIS




INFORMATION FLOW ANALYSIS




SA & DB INFO DISTRIBUTION ANALYSIS




VOICE/DATA CONTENTION



Digital Integrated Lab




Proteus '95/Unified Endeavor








Team Monmouth Support to WARRIOR FOCUS





Architecture Engineering




COMPUTERS



SOFTWARE




RADIOS



Installation

KITS



Integrated TOCs





Team Monmouth

Support to FOCUSED DISPATCH


Live Exercises

Western Kentucky



**Real Comms
Real Software**

Virtual Environment



*Virtual Exercises
Fort Knox, KY*

**Virtual Comms
Real Software**


Battle Lab Plan

- Recognize Battle Lab As Major Customer
- Right Requirements the First Time
- Educate Workforce on New Way of Doing Business
- Establish Technical Presence; Work for Battle Lab
- Take Advantage of PEO/PM Foundations
- Exploit “Nuggets” in Existing Tech Base

Return On Investment

- Focused Programs
- Educated Workforce
- Satisfied Customer


PRESENCE AT BATTLE LABS



ARMY RESEARCH LAB

APPROACH: Maximize leveraging of ARL technology


- Each TPA has defined exit criteria and products




Examples

- CECOM 3D Visualization Program using ARL Virtual Reality Technology
- CECOM CAC2 ATD incorporating the ARL GPS Track Reporting Algorithms and Filters

Commander's SA Display



Battlefield Visualization Foundation



Commercial Communications Technology Laboratory

OBJECTIVE


EVALUATE STATE-OF-THE ART COMMUNICATIONS EQUIPMENT
AND EXPLOIT THIS TECHNOLOGY FOR MILITARY APPLICATIONS




PRODUCTS DEMONSTRATED

- Cisco Routers
- CGS-100
- Motorola NES
- RTV-30

CODE DIVISION MULTIPLE ACCESS EQUIPMENT




PROPOSED TRP TESTBED NJ Regional Technology Consortium




Direct Broadcast Satellite

Objective: To extend range and shrink SATCOM equipment



TECHNICAL ARCHITECTURE



WAN = Wide Area Network

MAN = Metropolitan Area Network

LAN = Local Area Network

R = Router


H = Host (Workstation, Computer)

Proven Operation Over:

1. Fiber Optics
2. Coaxial Cable
3. Phone Lines
4. Radio Systems
5. Satellites

1994 Army Science Board Summer Study "Technical Architecture for Army C4I"

TECHNICAL ARCHITECTURE STRATEGY




- Open Systems
- Joint Applicability
- Seamless Connectivity
- Current Commercial Stds/SW

The Future Is Software Accomplishments


- ◆ Common Software Architecture
- ◆ ARPA Agent For Re-Use Program
- ◆ Common Applications Shared By Multiple Users
- ◆ Hardware Independence-Porting Facilitated
- ◆ SW Prototype Lab to Expedite Products

Building and Maintaining Leading Edge Software For The Battlefield



Software Common Architecture

Software Prototyping and Integration Lab Coupling To Software Engineering Intern Program




Two Major Benefits in Establishing This Coupling:


- Intern Program Provides Talented People to Support Prototyping Activities
- Prototyping Activities Provide Functional Expert Interns In Anticipation of Their Permanent Assignments

Force XXI Army Mission Planning

INTEGRATED MISSION PLANNING



FIRE SUPPORT SYSTEM OF SYSTEMS MANAGEMENT REUSE BENEFITS EXAMPLE




\$128M COST AVOIDANCE/SAVINGS

- HARDWARE COSTS
- SOFTWARE COSTS
- LOGISTICS COSTS
- TRAINING COSTS




SOFTWARE REUSE
PRODUCT LINE MANAGEMENT
COMMON INFRASTRUCTURE
COMMON LANGUAGE

AMC... PROVIDING TECHNOLOGY FOR AWES



CECOM ATDs : Foundation for the Future



Formula for Success


NEW WAYS OF DOING BUSINESS

PEOPLE

- INTEGRATED TEAMS
 - VISIONARIES
 - PROFESSIONALS
 - TECHNOLOGY LEADERS
 - TECHNOLOGY MANAGERS
-
- 52% BS/22% TO MS
 - 44% MS/3% TO PhD
 - 3% PhD

DOLLARS

- 45% PEO/PM PROGRAM IMPLEMENTATION
 - 25% REVOLUTIONARY DEMO'S
 - 15% TECHNOLOGY ADVANCES
 - 15% SUPPORT TO FIELD
-
- 30% IN HOUSE/ 70% OUT HOUSE



Leverage of IR&D

- **Maximize Army Leverage of Industry IR&D Investments**
 - *Host Technical Interchange Meetings with Industry*
 - *Review Industry IR&D projects for one-on-one Interaction (Our Engineer/Your Engineer)*
- **Open Door Policy**
 - *Host Demonstrations of IR&D programs relating to the RDEC mission thrust areas*
- **Utilize the Digital Integrated Labs - Commercial Technology Test Facility**
- **Cooperatively develop technology through using CRDA's**

Leverage of IR&D

- PROVIDE GUIDANCE TO INDUSTRY ON TECHNOLOGY AREAS OF INTEREST FOR IR&D
- CAPITALIZE ON INDUSTRY'S INVESTMENT IN IR&D TO FURTHER DEVELOP MILITARY SYSTEMS
- CONTINUE AND ENCOURAGE IR&D TECHNICAL INTERCHANGES
- USE COMMERCIAL PRODUCTS WHERE THERE IS A FIT
- MAXIMIZE THE USE OF THE DIGITAL INTEGRATED LABORATORY FOR EVALUATING POTENTIAL TECHNOLOGY INSERTIONS
- DEVELOP TECHNOLOGY THROUGH CRDA AGREEMENTS
- SUPPORT PARTNERSHIPS

SUMMARY

DIGITIZED
BATTLEFIELD

INTEGRATED ATDs-
HORIZONTAL
INTEGRATION

INTEGRATED
TEST BED
MODELING &
SIMULATION

LEVERAGING
CUSTOMER
SATISFACTION

CORPORATE
STRATEGY & VISION

USE OF
COMMERCIAL
PRODUCTS

INTEGRATED
RDEC TEAMS
SUPPORT TO
THE SOLDIER

HORIZONTAL
TECHNOLOGY
INTEGRATION
2nd GEN FLIR
DIGITIZATION

TECHNICAL
ACCOMPLISHMENTS
LEADING TO
TASK FORCE XXI

SOFTWARE ENGINEERING
INTEGRATED SOFTWARE
PROTOTYPE
LABORATORY

BATTLE LAB
PARTNERSHIP

NOTES


INTEGRATION OF DEFENSE AND COMMERCIAL INDUSTRIAL TECH BASES

DR. LANCE A . DAVIS

DEPUTY DIRECTOR
DEFENSE RESEARCH AND ENGINEERING
OFFICE OF THE SECRETARY OF DEFENSE

NOTES

Digital Integrated Lab as a Testbed




Dr. Myron Holinko

CECOM RDEC

DIRECTOR, DIL

DSN 987-3187 / COM 908-427-3187

The DIL is a C3I Development Tool




Which shrinks time and space by bringing:

- The Laboratory into the Field
- The Soldier into the Laboratory
- The Developer and User virtually together

To Design - Develop - Integrate - Distribute - Verify

DIL



For the Developer

- Evaluation of
 - Technical Interoperability
 - Routing / Networking variations
 - Software Validation

New Concepts
New Technologies
ATD Evaluations


For the User:

- Evaluation of
 - Operational Architecture
 - C2 Functionality
 - Tactics / Doctrine


AWEs
Interoperability
"Certification"

CERTIFICATION
To
Technical Architecture


Digital Integrated Lab



Connections At Ft. Monmouth



Myer Center System Connectivity



[illegible]

64

Policy for Use of Digital Integrated Lab (DIL)

21 Nov 94

" . . . the DIL will be used to develop, maintain, improve, and certify interoperability between and among C3I/EW hardware and software prior to participating in Task Force XXI (formerly Brigade 96) Advanced Warfighting Experiment, and the follow-on Division and Corps AWEs. In addition, I strongly encourage the maximum use of the Digital Integrated Lab/Testbed both within and between PEO/PM programs, systems already fielded, and Science and Technology programs."

Joe W. Rigby

JOE W. RIGBY

Major General, GS


Director, Army Digitization Office

What is DIL Certification ?

For AWEs up to and including TF XXI, certification is the verification that one or more systems are interoperable, through identified hardware, software versions, protocols / associated parameters, message formats and communications media, as defined per the Systems Architecture and individual system specifications.


System Certification Example

B2C2 V3.5 hosted on an LCU with internal TCIM using NRPT with Error Correction correctly transmits the B2C2 message set over a SINGARS to a PRC-139 connected to the internal modem of the DSSU which also hosts B2C2 V3.5 also using NRPT with Error Correction.




Radio Certification Example

The Appliqué addresses a message to several different nets using PPP-IP/UDP. The INC forwards the message to all addressees consisting of SINGGARS SIP nets, EPLRS nets, IDM, and TMGs using the MIL-STD-188-220(A) protocol.



Appliqué Certification Example

The Appliqué addresses a message to several different nets using PPP-IP/UDP. The INC forwards the message to all addressees consisting of SINCGARS SIP nets, EPLRS nets, IDM, and TMGs using the MIL-STD-188-220(A) protocol.



DIL Certification Process


- **Establish Certification Criteria**
 - Baseline Hardware, Software, and Communications
 - Define Interoperability Requirements
- **Develop Evaluation Procedures**
 - Data Collection Procedures, Test Plans, and Procedures
 - Evaluation Criteria
- **Coordinate Informal Experimentation Schedule**
- **Support/Conduct Informal Experimentation**
 - Media, e.g., SIP/INC
 - System, e.g., Appliqué
- **Coordinate Certification Test Schedule**
- **Conduct Certification Test**
- **Provide Certification Decision**

Pre-Certification Experiments

- In preparation for certification, resources and technical expertise are made available for experimentation by system developers without the rigors of the formal certification process.
- Advantages of Pre-Certification
 - Risk Reduction/Troubleshooting
 - Use of live systems vice interpretation of specs
 - Early access to new technology, e.g., SIP/INC
- As a result of pre-certification experiments, several systems have become significantly more mature.

72

TESTBED DEVELOPMENT OPTIONS



PROTOCOL TESTING TOOLS

CONFORMANCE TESTING


- ADDS/PJHI X.25
- DDN X.25
- MSE PACKET X.25
MIL-STD-188-220(A)

REFERENCE TESTING


- MSE PACKET NETWORK
- DoD TCP/IP

MONITORING AND DECODE


- ADDS/PJHI X.25
- DDN X.25
- MSE PACKET NETWORK X.25
- DoD TCP/IP




95 JWD




SUPPORT BATTLE LABS




Support Networking of Systems



Support Field & Field Demos




Support Warrior Focus






Team Monmouth

Support to FOCUSED DISPATCH



Applique - Evaluation & Test





NOTES



SESSION I

SOFTWARE ENGINEERING

SOFTWARE TECHNOLOGY OVERVIEW



MYRON S. SAMUEL
ASSOCIATE DIRECTOR
SOFTWARE ENGINEERING DIRECTORATE

UNCLASSIFIED

SOFTWARE ENGINEERING DIRECTORATE

KEY MISSION AREAS

- **SOFTWARE ACQUISITION AND POST-FIELDING SUPPORT**
 - COMMUNICATIONS
 - COMMAND & CONTROL
 - SIMULATION-TRAINING-INSTRUMENTATION
 - INTELLIGENCE & ELECTRONIC WARFARE
 - FIRE SUPPORT
 - TACTICAL FUSION
 - AVIONICS

- **SOFTWARE PROTOTYPING LAB**
 - CAPTURE THE "GOLDEN NUGGETS"
 - FIELD AND SUSTAIN THE PROTOTYPES
 - IMPROVE THE PROTOTYPES


SOFTWARE ENGINEERING DIRECTORATE

KEY MISSION AREAS (Continued)

- **INTEROPERABILITY & STANDARDIZATION**
 - DEVELOP AND CERTIFY MESSAGE PROTOCOL STANDARDS
 - TEST COMBINED JOINT AND ARMY INTEROPERABILITY
 - DEVELOP AND OPERATE THE ARMY INTEROPERABILITY NETWORK
- **EXECUTIVE AGENT FOR TACTICAL COMM SWITCHES**
- **ARMY REPROGRAMMING AND ANALYSIS TEAM (ARAT)**
- **REPLICATION, DISTRIBUTION, INSTALLATION, AND TRAINING (RDIT)**
- **SOFTWARE TECHNOLOGY**

SOFTWARE ENGINEERING DIRECTORATE TWO DIMENSIONS OF OUR BUSINESS

- **SOFTWARE "PRODUCTS"**
- **SOFTWARE "PROCESS"**





**WE WOULD ENCOURAGE INDUSTRY
TO CONSIDER IR&D INVESTMENTS
IN "BOTH" AREAS**

NOTES

TACTICAL SOFTWARE TECHNOLOGY

SOFTWARE REUSE



**JOHN WILLISON
PROJECT LEADER
SOFTWARE ENGINEERING
DIRECTORATE
UNCLASSIFIED**

AMSEL-RD-ST

POINT PAPER

SUBJECT: Software Reuse

OBJECTIVE: To provide increased productivity, reduced cost and risk, shorter development cycles, in the development of software for Army systems.

FACTS:

- The Software Engineering Directorate (SED) emphasizes a shift to product lines and architecture-centric development as the key element of our software reuse strategy.
- The technical challenges associated with architectures has been broken out into three parts (or conceptual layers): COTS, Military-Oriented Platform Extensions, and Applications.
- Each of these layers also has different management challenges associated with it.
- The emphasis must be on resolving management issues such as capital investment, ownership, contracting strategies, etc.

BRIEFER: John Willison, Project Leader, Software Engineering Directorate, AMSEL-RD-SE-PRO, (908) 532-2598.


RELEASED By:

Myron Samuel

Associate Director

Software Engineering Directorate


WHY SOFTWARE REUSE? REDUCES COST & INCREASES PRODUCTIVITY



Widespread reuse will be “essential” if we are to live within our future budgets


SOFTWARE REUSE

OUR ARMY SOFTWARE ACQUISITION APPROACH HAS BEEN CHANGING




SOFTWARE REUSE

WHERE WE NEED TO GO



SOFTWARE REUSE ARCHITECTURAL STANDARDS ARE THE



*Focus our investments on developing application architectural standards
and leveraging established commercial architectural standards*


SOFTWARE REUSE CHALLENGES AT HAND

TECHNICAL

- Products:
 - Defining common software architecture
 - Developing conforming software
- Process

BUSINESS

- DoD Management
- Ownership
- Incentives
- Contracting Strategies
- Migration Strategies




*Need to shift to a product
line management approach*

*Technical challenges exist but
business challenges represent the more
significant barrier*


SOFTWARE REUSE

A PRACTICAL STRATEGY FOR INTEGRATING REUSABLE PRODUCTS

1. Invest in and establish architectural definitions/goals
2. "Evolve" toward those goals as opportunities present themselves



SOFTWARE REUSE



SOFTWARE REUSE

PROCESS TECHNOLOGY NEEDS

- **Architecture development process (domain & system)**
- **Architecture representation**
 - **Definition, specification, formal languages**
 - **Understanding and transition**
- **Architecture assessment methodologies**
- **System composition/code generation**

SOFTWARE REUSE

CONCLUSIONS



- **Architecture, architecture, architecture**
- **Potential market for both processes and products**

NOTES

SESSION II

SPACE & TERRESTRIAL (S&T) COMMUNICATIONS




BITS STRATEGY AND OVERVIEW




COL KENNETH A. THOMAS ACTING DIRECTOR SPACE & TERRESTRIAL COMMUNICATIONS DIRECTORATE

UNCLASSIFIED


DIRECTORATE FOCUS ON BITS



Battlefield Information Transmission System (BITS) FAR TERM STRATEGY




BITS Far Term Strategy




BITS Far Term Strategy

- Required by Jan 95 Army Digitization Master Plan
- Tasked to DISC4, to CECOM RDEC through ADO
- Focus for ARPA initiatives, ATD's, BLWEs
- Define experimentation and acquisition strategy
 - FY 95-99 RDTE (ATD)
 - FY 97 POM Plus-Up
 - Force XXI acquisitions funding FY99
- Define resource and funding shortfalls

BITS Strategic Framework




BITS Development Strategy



LEAVE BEHIND

PM ACQUISITION

Digital Battlefield Communications Architectural Elements



BITS AWE Product Insertions

PRODUCT	QUANTITY	TF XXI	DIV XXI	CORPS XXI	FY99
Tactical End to End Encryption Device (TEED)	30	X			
Wideband HF	5-7	X			
Terrestrial PCS	LMR 1B/50 HS Hybrid CDMA 2B/50 HS 2 MSE Interfaces (each)	X X	X X		
Asynchronous Transfer Mode (ATM) Technology	3-5	X	X	X	
Direct Broadcast Service	1 U/L, 3 D/L 1 Program Center 1 UAV Package 1 OTM Antenna	X	X	(X) (X)	
Near Term Digital Radio/Future Digital Radio	15 FDR 200 NTDR 400 NTDR	X	X	X	
On the move Antenna	1	(CGS)		X	
Airborne Relay	1		X		
High Capacity Trunk Radio (HCTR)	4 - 10 MB 4 Static 45 MBps 4 OTM		X	X	X
Satellite PCS	1 UAV, 25 HS Univ HS		X		X
Radio Access Point	1 Static 1 OTM			X	X


() - Development complete; inadequate funding for AWE

Briefing Outline

- Directorate Focus (BITS) - Col Thomas
- Key Technologies for IR&D
 - Future Digital Radios - Mr. DiJulio
 - High Capacity Trunk Radio - Mr. Brockel
 - ATM Technology - Mr. Levine
 - Personal Communications System - Dr. Wichansky
 - Global Broadcast Service - Mr. Ozimek

NOTES

COMMUNICATIONS TECHNOLOGY



UNCLASSIFIED

AMSEL-RD-ST

POINT PAPER

SUBJECT: Future Digital Radio

PURPOSE: To provide a small quantity of operational hardware to address functional areas of the FDR MNS during the TF XXI AWE.

FACTS:

- The FDR (BAA), along with SPEAKEASY and the Near-Term Digital Radio (NTDR) are feeder programs needed to develop the digital and MBMMR technology to enable the Army to field the objective FDR.
- The requirement for the FDR is described in the FDR MNS, which was originally written as the supporting user documentation for the Joint SPEAKEASY program.
- The FDR BAA and NTDR efforts were planned and are being executed because, the SPEAKEASY program was not conceived or planned to provide operational hardware that will be available in time for the TF, Division, or Corps XXI AWEs.

BRIEFER: Mike DiJulio, Chief, Wireless Networks Division, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-WL, (908) 532-0458.

RELEASED By: *Barry B. Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate

ACTION OFFICER:
Mike DiJulio
Chief, Wireless Networks Div.
Space & Terrestrial
Communications Directorate

AMSEL-RD-ST

POINT PAPER

SUBJECT: Joint SPEAKEASY Multiband Multimode Radio (MBMMR)

PURPOSE: To develop the architecture and technology for the objective MBMMR, meeting the requirements of the Army Future Digital Radio (FRD) Mission Needs Statement (16 May 94) and the MBMMR requirements of the other services. The SPEAKEASY radio will also provide the capabilities required by the MBMMR (identified in the evolving digital battlefield architecture) for the mobile Radio Access Point (RAP). Advanced Development Models (ADMs) of the SPEAKEASY MBMMR will be produced and used for contractor development testing, Government/user demonstrations, and participation in the Digital Battlefield Communications (DBC) Advanced Technology Demonstration (ATD).

FACTS:

- The SPEAKEASY MBMMR program is a joint-service R&D program.
- The program is sponsored by the Advanced Research Projects Agency (ARPA) and managed by an Air Force Program Manager (Rome Labs, Executive Agent).
- The Army (CECOM), Navy (Naval Research and Development Center Space and Naval Warfare Systems), and National Security Agency (NSA) participation.

BRIEFER: Donald Upmal, Project Leader, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-SP, (908) 532-0440

RELEASED By: *Barry Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate

ACTION OFFICER
Donald Upmal
Project Leader
Space & Terrestrial
Communications Directorate

FUTURE DIGITAL RADIO

DEFINITIONS


- FDR/BAA-AN EARLY VERSION OF THE FDR BOUGHT UNDER A BAA FOR TF XXI
- NTDR IS AN NDI EVOLUTIONARY GROWTH STEP IN THE TRANSITION FROM EPLRS TO THE FDR AIMED AT PROVIDING BDE/DIV QUANTITIES OF AN AVAILABLE DIGITAL RADIO-THE RADIO HAS GROWTH POTENTIAL
- FDR- A NETWORKED, MULTIBAND/MULTIMODE HIGH DATA CAPACITY RADIO FOR THE DIGITAL BATTLEFIELD OF THE YEAR 2000+.
- SPEAKEASY MBMMR - A JOINT SERVICE/ARPA R&D PROGRAM TO DEVELOP A PROGRAMMABLE, MULTIBAND, MULTIMODE RADIO (MBMMR), WITH AN OPEN SYSTEM ARCHITECTURE, MEETING THE REQUIREMENTS OF THE FDR MISSION NEEDS STATEMENT (MNS)

FUTURE DIGITAL RADIO

OBJECTIVES/VISION

- AS PER THE FDR MISSION NEEDS STATEMENT (MNS): FDR WILL PROVIDE THE FOLLOWING CAPABILITIES:
 - MULTI-BAND/MULTIMODE
 - ROBUST
 - LPI
 - MOBILE
 - FLEXIBLE
 - SIMULTANEOUS VOICE & DATA

FUTURE DIGITAL RADIO OPEN ARCHITECTURE



FUTURE DIGITAL RADIO APPROACH

- PROCURE AVAILABLE TECHNOLOGY FOR TF-XXI-(FDR/BAA)
- PROCURE MATURING TECHNOLOGY WITH GROWTH POTENTIAL FOR POST TF-XXI EXPERIMENTS AND EARLY FIELDING -(NTDR)
- DEVELOP A PROGRAMMABLE RADIO THAT CAN ACCOMMODATE LEGACY AND FUTURE WAVEFORMS-(SPEAKEASY)
- PROCURE QUANTITIES OF A PROGRAMMABLE RADIO BASED ON SPEAKEASY PROGRAMMED WITH LEGACY AND NTDR WAVEFORMS FOR SATISFYING OBJECTIVE SYSTEM CRITERIA-(TRI-SERVICE/FDR)

FUTURE DIGITAL RADIO

TECHNOLOGY

KEY CAPABILITIES

- MODULAR OPEN SYSTEM ARCHITECTURE
BASED ON WIDELY ACCEPTED
COMMERCIAL STANDARDS
- SOFTWARE RE-PROGRAMMABLE
- 2 MHz- 50 GHz OPERATION
- INTEROPERABLE WITH LEGACY RADIOS
- SIMULTANEOUS CHANNELS

FUTURE DIGITAL RADIO

TECHNOLOGY

KEY CAPABILITIES (CONT)

- HIGH CAPACITY THROUGHPUT
WAVEFORMS
- EMBEDDED NETWORKING CAPABILITY
- LPI/D CAPABLE
- SECURE AND ANTI-JAM
- GPS AND CELLULAR EMBEDDED
- COMMERCIAL MARKET POTENTIAL



FUTURE DIGITAL RADIO

APPLICATION/TRANSITION

- FUNCTION: PROVIDE SEAMLESS COMMUNICATION FOR THE DIGITAL BATTLEFIELD
- APPLICATION: FUTURE OPPORTUNITIES WILL BE PROVIDING TECHNOLOGY INSERTION TO THE RADIOS (TRI-SERVICE RADIO, SPEAKEASY & NTDR) LEADING TO THE FDR
- RECEIVING ORGANIZATION: PM TRCS

Army Future Digital Radio Migration

FY93	FY94	FY95	FY96	FY97	FY98	FY99	FY00	FY01	FY02	FY03	FY04
------	------	------	------	------	------	------	------	------	------	------	------



FUTURE DIGITAL RADIO

TECHNOLOGY CHALLENGES

- LOW POWER / HIGH SPEED DEVICES & TECHNIQUES
- WIDEBAND & MULTIBAND ANTENNAS
- OPEN SYSTEM ARCHITECTURE: FORM-FACTOR & BUS INDEPENDENT
- WIDEBAND RF FRONT END: MULTI-CHANNEL, PROGRAMMABLE, TUNABLE & HOPPABLE
- PROGRAMMABLE INFOSEC: SOFTWARE REPROGRAMMABLE, EMBEDDED, MULTI-CHANNEL, LOW POWER, HIGH SPEED & NSA ENDORSEABLE
- COSITE INTERFERENCE REDUCTION
- MINIATURIZATION: MANPACK, HANDHELD & EMBEDDABLE

FUTURE DIGITAL RADIO

IR&D TECHNOLOGY NEEDS

- LOW POWER / HIGH SPEED DEVICES & TECHNIQUES
 - 3.3V DSP'S, FFT'S, IC'S, ADC'S
 - HIGHLY EFFICIENT RF AMP'S, PA'S & COMPONENTS
 - GFLOPS DSP'S, CO-PROCESSORS, FFT'S
 - DC POWER MANAGEMENT
 - HIGH CAPACITY BATTERIES AND BATTERY LIFE EXTENSION
- WIDEBAND & MULTIBAND ANTENNAS
 - MINIMUM # OF ANTENNAS TO COVER 2MHZ TO 2GHZ
 - HIGH GAIN, WIDEBAND & OMNIDIRECTIONAL
 - MULTICHANNEL/MULTIBAND SIMULTANEOUS RX/TX
 - ON-THE-MOVE, MULTIPLE PLATFORMS, LOW PROFILE

FUTURE DIGITAL RADIO

IR&D TECHNOLOGY NEEDS (CONT)

- OPEN ARCHITECTURE
 - HAS INDUSTRY / MARKET ACCEPTANCE
 - STANDARDIZED & PUBLISHED NON-PROPRIETARY INTERFACES
 - BUS AND FORM-FACTOR INDEPENDENT FUNCTIONAL MODULES
 - BUS AND HARDWARE INDEPENDENT SOFTWARE
 - FUNCTIONAL ENHANCEMENT VIA SOFTWARE ONLY
 - TECHNOLOGY UPGRADE VIA MODULE REPLACEMENT
 - WIDEBAND RF FRONT END
 - NEAR DIRECT “RF-TO-DIGITAL” CONVERSION
 - WAVEFORM PROGRAMMABLE/TUNABLE/HOPPABLE
- TRANSCEIVER FROM 2 TO 2000 MHZ



FUTURE DIGITAL RADIO

IR&D TECHNOLOGY NEEDS (CONT)

- PROGRAMMABLE INFOSEC
 - LOW POWER, HIGH SPEED, PROGRAMMABLE INFOSEC DSP'S
 - NSA ENDORSEABLE
 - KEY MGMT, OTAR & OTAD METHODS
- COSITE INTERFERENCE REDUCTION
 - INTERFERENCE CANCELLATION TECHNIQUES
 - SMALL, EFFICIENT & FAST TUNING COSITE FILTERS
 - SMART ANTENNA COUPLERS
 - ADVANCED MULTICHANNEL, MULTIPLEXING TECHNIQUES
- MINIATURIZATION
 - MULTI-CHIP MODULE (MCM) TECHNOLOGY & TECHNIQUES
 - LOW POWER .3 MICRON TECHNOLOGY
 - EFFICIENT THERMAL/HEAT DISSIPATION TECHNIQUES
 - RUGGEDIZED PACKAGING TECHNIQUES (FIELD ENVIRONMENT)

NOTES

HIGH CAPACITY TRUNK RADIO



KENNETH BROCKEL PRODUCT DEVELOPMENT ENGINEER SPACE & TERRESTRIAL COMMUNICATIONS DIRECTORATE

UNCLASSIFIED

AMSEL-RD-ST

POINT PAPER

SUBJECT: High Capacity Trunk Radio (HCTR)

PURPOSE: To develop a radio capable of a minimum data rate of 45 Mbps to support asynchronous transfer mode (ATM) switching under dynamic battlefield conditions. The HCTR will serve as next generation wideband line-of-sight (LOS) radio for the Mobile Subscriber Equipment (MSE) wide-area network. HCTR is an integral part of the Radio Access Point (RAP) configuration envisioned to provide an on-the-move- high capacity data throughput for the Digital Battlefield Communications (DBC) Advanced Technology Demonstration (ATD).

FACTS:

- The HCTR program is a technology-based advanced-development initiative to explore and develop technologies to support the development of a wideband trunk radio with the capability of operating on-the-move (OTM).
- The HCTR will be a part of the wide-area backbone and mobile subsystems, such as the RAP, and be compatible with local-area hubs and ATM switching.

BRIEFER: Frank Loso, Project Engineer, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-WL-AW, (908) 427-4025

RELEASED By: *Barry P. Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate


ACTION OFFICER
Frank Loso
Project Engineer
Space & Terrestrial
Communications Directorate

High Capacity Trunk Radio (HCTR)

Objectives

- Multimedia LOS transmission capability over Services wideband backbones at trunking rates of 1.544 to 155.52 Mb/s
- Wide bandwidth Asynchronous Transfer Mode (ATM)-to-ATM switch interconnections of up to 40 km link lengths (22 miles)
- On-the-move operation over land and sea
- Provide high reliability, low delay times for efficient transmission of ATM cells
- Seamless, multimedia comm between broadband Integrated Services Digital Network (ISDN) networks & narrowband systems

High Capacity Trunk Radio (HCTR)



High Capacity Trunk Radio (HCTR)

Approach

- HCTR is a technology based advanced development initiative in 3 Phases
 - Phase I
 - Purchased COTS SONET radio
 - Propagation measurements
 - ATM interfacing
 - Evaluate COTS features which may be incorporated into HCTR
 - Modeling and Simulation

High Capacity Trunk Radio (HCTR)

Approach (cont.)

- Phase II
 - Purchase HCTR (-)
 - A Near Term ATM Upgrade for MSE
 - Demonstrate in Division XXI
- Phase III
 - Develop prototypes for evaluation in Corps XXI
 - Competitive procurement 1Q97

High Capacity Trunk Radio (HCTR)

Application/Transition

FUNCTION: Will Provide a Trunk Radio capable of:

- 45 Mbps data on the move for RAP/Airborne relay
- ATM to ATM switch interconnection of up to 40 Km (Stationary) (155 MBps)
- ATM to Mobile RAP interconnection of up to 20 Km
- 10 MBps upgradeto MSE LOS Interswitch Trunks (HCTR(-))

APPLICATION: HCTR would serve as Next Generation Wideband Line-of-Sight Radio for the MSE Wide Area Network


RECEIVING ORG: PM JTACS

TRANSITION: FY2000

High Capacity Trunk Radio

(HCTR)

- ☒ Train, Install
- ☐ Development
- ☐ Leave Behind



High Capacity Trunk Radio (HCTR)

Technology Challenges

- Expected to operate 155.52 Mbps when stationary and 44.736 Mbps with one end on-the-move
- High reliability low BER ($<10^{-8}$) transmissions in a tactical environment
- Efficient utilization of spectrum
- Minimization of multipath effects

High Capacity Trunk Radio (HCTR)



IR&D Technology Needs

- Require countermeasure techniques for fade compensation
- ATM mobile infrastructure capable of moving with the forward echelons
- Resolve cosite interference problems inherent in the RAP platform
- Stable/economical antenna configuration to support HCTR OTM operation

NOTES

TACTICAL C3 TECHNOLOGY INTEGRATION

ATM TECHNOLOGY



LARRY LEVINE
CHIEF, HIGH SPEED NETWORKS DIVISION
SPACE & TERRESTRIAL COMMUNICATIONS
DIRECTORATE

UNCLASSIFIED

POINT PAPER

PURPOSE: DBC Asynchronous Transfer Mode (ATM) Technology Integration Program

OBJECTIVE: To support the insertion of ATM technology into the Army's tactical wide-area communications system through a series of planned product improvements (ultimately replacing MSE with the next-generation switching system).

FACTS:

- ATM experiments conducted during Unified Endeavor in April 1995 serves as the baseline for this program. During Unified Endeavor, seven ATM switches were installed in MSE shelters, enabling MSE voice traffic to be combined with additional data traffic over the existing MSE backbone network. The additional data traffic was used to support collaborative planning and desktop video conferencing at four deployed sites.
- Emerging services and applications, including video, worldwide web servers, and collaborative planning, are beginning to be used on the battlefield. These types of services and applications are not supported by the existing MSE system.
- ATM technology has the potential to support these and other wideband services desired by the warfighter. ATM technology, however, was designed for use in low-bit-error-rate fiber optic based static networks. Effective use of ATM technology in a tactical environment will therefore require that a number of key areas be addressed. These include forward error collection (FEC), low-rate survivable protocols, bandwidth allocation, signaling, and wireless ATM.

BRIEFER: Larry Levine, Chief, High Speed Networks Division, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-HS, (908) 427-4506.

RELEASED By: *Barry S. Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate


ACTION OFFICER:
Larry Levine
Chief, High Speed Networks Div.
Space & Terrestrial
Communications Directorate

ATM TECHNOLOGY

Objectives

- Leverage commercial technology wherever feasible
- Address tactical communications not addressed by commercial industry objectives
 - Forward Error Correction
 - Network Management
 - Survivable Protocols
- Develop enhancements to commercial products for integration/operation in a tactical environment
- Coordinate and synchronize research being done in each service to address the common areas jointly

Joint ATM Architecture



ATM TECHNOLOGY

Approach

- Address the issues of using ATM in a tactical environment that are common to all of the services
- Ensure that service-unique communications platforms interoperate in Joint global communications architecture
- Leverage commercial products to minimize development time of tactical systems
- Perform Joint ATM testing over JADE/DISN LES networks

ATM TECHNOLOGY

Application/Transition




FUNCTION: Provide capability for additional services over MSE such as video teleconferencing by providing better utilization of existing bandwidth

APPLICATION: The Army ATM program will feed into the development of the next generation Army Common User System (ACUS)

RECEIVING ORG: PM JTACS

TRANSITION: Baseline - FY96
Enhanced - FY98
Final Spec - FY99

ATM Technology Integration Program

-  Train, Install
-  Development
-  Leave Behind

MILESTONES	FY-95	FY-96	FY-97	FY-98	FY-99
<p>Phase 0</p> <p>COTS ATM Baseline</p> <p>Phase 1</p> <p>ATM Tactical Extensions for Existing Trunks</p> <ul style="list-style-type: none">• Adaptive FEC Low Rate Survivable Protocols• Dynamic Trunk BW Allocation, Q2931 Signalling Assessment & Enhancement, Wireless ATM <p>Phase 2</p> <p>ATM Tactical Extensions for High Bandwidth Trunks</p> <ul style="list-style-type: none">• ATM/MSE Voice Integration Survivable Tactical ATM Routing & VCI/VPI Control• Support for Mobile Hosts Net Mgmt for Dynamic High Bandwidth ATM Networks	<p>Unified Endeavor</p> <p>Proteus 3D+</p> <p>Grecian Firebolt</p> <p>JW ID 95</p> <p>V0 Functional Description</p> <p>Shpc</p>	<p>Arrive at Ft. Hood</p> <p>DIV XXI</p> <p>CORPS XXI</p>			

ATM TECHNOLOGY

Technology Challenges

- Tactical environment subject to lower bandwidth, lower quality (10-5 BER), and higher latency links than commercial environment
- Tactical interfaces not currently compatible with network interfaces being developed by ATM standards bodies
- Commercial ATM does not provide military precedence/priority, accountability, or security features
- Tactical networks are more dynamic than commercial networks due to mobility requirements



ATM TECHNOLOGY

IR&D Technology Needs

- Adaptive FEC and low rate survivable protocols
- Dynamic bandwidth allocation of tactical communications
- Wireless ATM to support mobile hosts
- ATM Voice Integration to tactical environment
- ATM Network Management
- ATM Networking Protocols

NOTES

PERSONAL COMMUNICATIONS SYSTEM (PCS)



DR. HOWARD WICHANSKY
CHIEF, ADVANCED WIRELESS TECHNOLOGY BRANCH
SPACE & TERRESTRIAL COMMUNICATIONS
DIRECTORATE

UNCLASSIFIED

AMSEL-RD-ST

POINT PAPER

SUBJECT: Terrestrial Personal Communications Systems (PCS)

PURPOSE: To define the feasibility and benefits of emerging communications technologies for Army applications with specific emphasis on personal communications systems (PCS). Demonstrate capability with legacy systems, Mobile Subscriber Equipment, for Task Force XXI (TFXXI) and Corps XXI.

FACTS:

- The Advanced Research Projects Agency (ARPA)) funded Commercial Communications Technology Testbed (C2T2) program performed a market survey in FY93 to identify available PCS technology for dismounted infantry.
- The Ericsson trunked Land Mobile Radio (LMR) system was identified and selected as the first system to be evaluated.
- The second will be Hybrid PCS.

BRIEFER: Joseph A. Staba, Project Leader, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-WL-EW, (908) 427-3988.

RELEASED By: *Barry L. Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate

ACTION OFFICER
Joseph A. Staba
Project Leader
Space & Terrestrial
Communications Directorate

POINT PAPER

SUBJECT: Satellite Personal Communications Systems

PURPOSE: To leverage and exploit emerging commercial satellite-based personal communications systems (PCS). Demonstrate these capabilities via both the eventual satellite system and airborne relay packages prior to the availability of the commercial satellite. The full satellite PCS capability will be integrated with the Radio Access Point (RAP) as part of the Digital Battlefield Communications (DBC) Advanced Technology Demonstration (ATD) program.

FACTS:

- The commercial communications industry is developing several candidate solutions for providing global PCS capability.
- These candidate systems typically employ a relatively large number of low-earth-orbiting (LEO) or medium-earth-orbiting (MEO) satellites. These systems will provide the user with a worldwide cellular telephone service.
- The system design allows small handheld portable phones to place calls worldwide despite the location of the user.

BRIEFER: Dennis Peras, Project Leader, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-SY-TE, (908) 532-6191.

RELEASED By: *Barry J. Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate


ACTION OFFICER
Dennis Peras
Project Leader
Space & Terrestrial
Communications Directorate

PERSONAL COMMUNICATIONS SYSTEM

Objectives

- Develop PCS technology, building on commercial advances, to provide mobile users with data capability ranging from 75bps to 125kbps over terrestrial link ranges up to 18 km (cell radius)
- Increase user population density through use of PCS waveforms (i.e., CDMA/TDMA)
- Investigate ultra-wide spreading techniques to achieve high degree of LPI/AJ
- Develop Universal Handset to utilize in a terrestrial and satellite infrastructure capable of interfacing to multiple service providers
- Integrate Type I encryption into PCS
- Develop Military Gateway to establish required paths to link multiple providers

PERSONAL COMMUNICATIONS SYSTEM (PCS)



PERSONAL COMMUNICATIONS SYSTEM

Approach

TERRESTRIAL:

- Trade off studies have been awarded (FY-95)
- Land Mobile Radio (LMR) Testing Warrior Focus 1Q96
- LMR Surrogates to be integrated/tested in TF XXI 3Q96
- MSE Interface DIL Testing 2Q96
- PCS integration/testing 1Q97 prior to DIV XXI insertion.

PERSONAL COMMUNICATIONS SYSTEM

Approach

SATELLITE:

- Leverage developing satellite systems.
- Develop concept for use of Satellite PCS on Battlefield.
- Demonstrate technology and utility on the battlefield.
- Develop universal handset for use with multiple systems.

PERSONAL COMMUNICATIONS SYSTEM

Application/Transition

FUNCTION: (1) Wireless PBX to provide Local Loop Connection to MSE Telephone Subscribers
(2) Increase the survivability of Cellular Communications Architecture via Distributed Cellular Control
(3) Utilize commercial PC's to supplement/replace MSE RAU


APPLICATION: Elimination of Wired Connections and use of commercial Satellite PCS is part of the new MILSATCOM architecture
RAU replacement using PCS Technology

RECEIVING ORG: PM JTACS for Terrestrial PCS
PM SATCOM for Satellite PCS

TRANSITION: Terrestrial: FY2000
Satellite: TBD (COTS Dependent)

TERRESTRIAL PCS

-  Train, Install
-  Development
-  Leave Behind




ELMR = Enhanced LMR
HH = Hand Held

BCDMA = Broadband CDMA
BS = Base Station

SATELLITE PCS

- ▣ Train, Install
- Development
- Leave Behind



PERSONAL COMMUNICATIONS SYSTEM

Technology Challenges

- Devise required technology to expand commercial PCS which is based on fixed infrastructure to support mobile PCS with dynamic protocols and down sized base station
- Develop interfaces to yield seamless connectivity between commercial and Legacy system
- Overcome vulnerabilities of commercial waveforms to achieve LPI/AJ and robust access schemes

PERSONAL COMMUNICATIONS SYSTEM



IR&D Technology Needs

- Assure compatibility of Type I INFOSEC techniques in response to inadequate security of commercial based PCS systems
- Satisfy technical demands for a Universal Handset:
 - Merge various LEOS receive systems
 - Extend battery life
 - RF front-end for multimode operation
- Development for UAV platforms
 - Antennas
 - Transponder
 - Switch
- Develop compatible switching and protocol concepts for military gateway

NOTES

SATELLITE COMMUNICATIONS (SATCOM)

DIGITAL BROADCAST SATELLITE/ GLOBAL BROADCAST SERVICE



JEFFREY OZIMEK
CHIEF, SYSTEMS & TECHNOLOGY DIVISION
SPACE & TERRESTRIAL
COMMUNICATIONS DIRECTORATE
UNCLASSIFIED

AMSEL-RD-ST

POINT PAPER

SUBJECT: Direct Broadcast Satellite (DBS)

PURPOSE: To develop and demonstrate a high-data-rate broadcast capability to small, inexpensive satellite receivers.

FACTS:

- The DBS program shares a high-degree of synergism with other CECOM programs.
- The DBS will be integrated with Common Ground Station demonstrations.
- DBS is a key element of the Digital Battlefield Communications (DBC) Advanced Technology Demonstration (ATD) program, and is a capability offered by the Battlefield Information Transmission System (BITS).
- The DBS airborne relay will be derived from the CECOM airborne relay project.
- The CECOM phased-array antenna program will be a source of enabling technology of the DBS OTM demonstrations.
- The Army's activities are intended to aid in identifying user needs and will be done in close coordination with the joint DBS working group now being formed.

BRIEFER: Gary Blohm, Project Leader, Space & Terrestrial Communications Directorate, AMSEL-RD-ST-SI, (908) 532-6272.

RELEASED By: *Barry Salis*
Barry Salis
Deputy Director
Space & Terrestrial
Communications Directorate


ACTION OFFICER:
Gary Blohm
Project Leader
Space & Terrestrial
Communications Directorate

Direct Broadcast Satellite (DBS)/ Global Broadcast Service (GBS)

Objectives

- To provide a means of high speed data dissemination to the global warrior
- To develop applications and concepts that enable the services to influence future joint GBS system design
- To evaluate the application of low cost commercial technology to military GBS needs

Direct Broadcast Satellite



Direct Broadcast Satellite

Approach

- Utilize DBS technology in TFXXI AWE to demonstrate/experiment with capability in field environment.
- Identify Army sources of broadcast information and integrate with other systems on Digitized Battlefield.
- Start investigation of an on-the-move receive capability.


Direct Broadcast Satellite

Application/Transition

- FUNCTION: Provide a wideband broadcast capability to the tactical commander. Broadcast data to include Intelligence, Imagery, Logistics, Training, etc.
- APPLICATION: The Army DBS program will feed into the development of the DoD Global Broadcast Service (GBS) program.
- RECEIVING ORGANIZATION: GBS will be a new start, joint program.
- TIME FRAME: Joint RFP development to start as soon as Oct 96. Awaiting OSD approval.

Army Direct Broadcast Satellite (DBS)

- ☒ Train, Install
- ☐ Development
- ☐ Leave Behind



Global Broadcast Service

Technology Challenges

- To address worldwide coverage deficiencies
 - Airborne broadcast payloads
- Small low cost receivers
 - Frequency band of operation
 - Antenna technology
 - Commercial technology application

Global Broadcast Service

Technology Challenges (Cont.)

- Information management
 - Data base location and distribution
 - Data interchange protocols and processes
 - Intelligent push and user pull
 - Data authentication
 - Programming center for bandwidth and time management
- Security and encryption
 - Key distribution
 - Synchronization techniques
 - Hostile access denial

Global Broadcast Service

IR&D Technology Needs

- Airborne Payloads
 - Integrated airborne “Bent-Pipe” transponder (approx. 36 Mhz bandwidth)
 - Airborne uplink high gain receive antenna
 - Airborne downlink hemispherical transmit antenna
- Low cost, low noise amplifiers with block downconverter at X-band and KA band
- Antennas for ground mobile vehicles
 - Pointing system for 2ft dia. dish
 - Low cost flat panels
- Antenna for airborne platform reception from satellite
 - Low cost flat panels
 - “Hatch mount”

Global Broadcast Service

IR&D Technology Needs (Cont.)



- Information management techniques
 - Intelligent agents
 - Protocols for data requests
 - Protocols for data dissemination
- Automated programming center (Anchor desk)
- Methods to determine if the receiver is in friendly or hostile hands
- Crypto sync process for broadcast
 - Account for planned/unplanned net entry
 - Recovery from equipment failures

NOTES

SESSION III

COMMAND, CONTROL (C2) AND SYSTEMS INTEGRATION TECHNICAL PROGRAMS


STRATEGY AND OVERVIEW



GEORGE OLIVA ACTING DIRECTOR COMMAND, CONTROL & SYSTEMS INTEGRATION DIRECTORATE

UNCLASSIFIED

COMMAND / CONTROL AND SYSTEMS INTEGRATION DIRECTORATE




TOTAL PERSONNEL
411

COMMAND / CONTROL AND SYSTEMS INTEGRATION DIRECTORATE

Major Missions

- BATTLEFIELD VISUALIZATION/MISSION PLANNING
- COMBINED ARMS COMMAND & CONTROL/BATTLESPACE COMMAND & CONTROL
- MODELING AND SIMULATION
- TOTAL DISTRIBUTION/JOINT LOGISTICS ACTD
- BATTLEFIELD AWARENESS & DATA DISEMINATION
- SOLDIER COMMAND & CONTROL
- PRECISION NAVIGATION/GPS
- VOICE TECHNOLOGY
- PLATFORM SYSTEM INTEGRATION TO INCLUDE: AIRCRAFT, SHELTERS, VEHICLES, AND THE SOLDIER
- TACTICAL POWER GENERATION AND ENVIRONMENTAL CONTROL

Research, Development & Engineering Center



Size of Organization

411

Value of Operating Budget

\$74M Annually *

Number & Value of Contracts


61 ; \$57.0M

* Includes R&D Mission, SOF, OMA, ARPA and Reimb.


Note: Value will extend to Billions when taken into

Production Deployment phase by PEOs.

Joint Logistics ACTD Schematic



Systems Performance Modeling



COMMAND AND CONTROL SYSTEMS INTEGRATION BRIEFINGS TODAY

PROGRAM BRIEFS:

TACTICAL AUTOMATION

- BATTLE PLANNING
- LOGISTICS COMMAND AND CONTROL

AVIATION INTEGRATION TECHNOLOGY

- NAVIGATION TECHNOLOGY
- MISSION REHEARSAL
- INTERACTIVE SPEECH RECOGNITION


TACTICAL POWER

- FUEL CELLS

NOTES

TACTICAL AUTOMATION

BATTLE PLANNING



HAL GORMAN PROJECT ENGINEER COMMAND, CONTROL SYSTEMS INTEGRATION DIRECTORATE UNCLASSIFIED

AMSEL-RD-AS-TD

POINT PAPER

SUBJECT: Battle Planning and Visualization

OBJECTIVE: The Battle Planning effort will develop, integrate and demonstrate emerging technologies to significantly enhance battlespace visualization and enable collaborative planning, rehearsal, execution and monitoring (including real-time intelligence/operations) on the digital battlefield. The focus is on the commander's interface to the battlespace and the embedded software "tools" which will allow the commander and his staff to collaborate electronically in a rapid and effective manner.

FACTS:

- The capabilities will enable the commander to quickly grasp the situation and react to the dynamically changing battlespace.
- By FY99 demonstrate a fully integrated capability to allow the commander and staff to perform end-to-end collaboration to include: split based operations, course of action evaluation aids, hands-off user interface using "natural language" speech input and real-time 3D depiction of the battlefield.

CECOM-Team Fort Monmouth established as lead for the development of all (mission planning) systems to ensure these systems are compatible with the digitized battlefield technical and operational architecture.


BRIEFER: Harold Gorman, Project Manager, Command, Control Systems and Integration Directorate, AMSEL-RD-C2-PA, (908) 427-4603

BATTLE PLANNING



Objective

- Electronically visualize the battlespace
- Collaboratively plan, rehearse, execute and monitor the battle


BATTLE PLANNING




DIRECT BROADCAST
SATELLITE



RELEVANT COMMON BATTLESPACE VISUALIZATION/
SITUATION AWARENESS, 3D PERSPECTIVE VIEWS



***Focus: Commander / Work-
station interfaces and the HW
& SW tools necessary to
achieve objective.***



DECISION
AIDS /
TACTICAL
AIDS



ELECTRONIC / COLLABORATIVE
BATTLE PLANNING,

REHEARSAL, EXECUTION & MONITORING

NATURAL LANGUAGE
SPEECH UNDERSTANDING




BATTLE PLANNING

APPROACH


- Demonstrate real-time collaborative planning between the commander and his intelligence and operations staff elements.
- Demonstrate capability to perform planning and near real time rehearsal, demonstrate speaker independent, continuous speech recognition and exploit direct broadcast satellite (DBS) imagery distribution.
- Demonstrate a fully integrated capability to allow the commander and staff to perform “end-to-end” collaboration to include: split based operations, course of action evaluation aids, “hands-off” user interface using “natural language” speech input, real-time 3D depiction of the battlefield and “virtual conferencing” .

BATTLE PLANNING PRODUCT DEVELOPMENT PROCESS



BATTLE PLANNING

ROADMAP





BATTLE PLANNING

TECHNOLOGY NEEDS

- Desktop Visualization capability.
- Rapid Collection of HI-Resolution Terrain and Feature Data.
- Rapid Construction of 3-D Databases / Automatic Generation of Features and Urban Areas.
- Weather Effects (Rain, Snow, Wind, Fog, Etc.).
- FLIR, I2 and Other Sensor Perspective Views.
- Distributed “push-pull” Databases to support Client/Server Architecture on the Digital Battlefield.
- Tactical Decision Aids.
- Operations on-the-move.

NOTES

LOGISTICS COMMAND & CONTROL



LTC TONY MANGANIELLO
TOTAL DISTRIBUTION ATD MANAGER
COMMAND, CONTROL SYSTEMS INTEGRATION
DIRECTORATE

UNCLASSIFIED

AMSEL-RD-AS-TD

POINT PAPER

SUBJECT: Logistics Command and Control

OBJECTIVE: To provide the CINCs and Joint Task Forces with the capability to plan and execute more responsive and efficient logistics support through the networking of workstations connecting operational planners and logisticians across Services and echelons. Provide for advanced data distribution and visualization techniques to provide a common, relevant picture. Integrate existing logistics models with knowledge based tools to provide decision support.

FACTS:

- A tool for Total Asset Visibility Management, Logistics planning decision support and Monitoring and rapid replanning.
- Provides Enhanced connectivity among Services, TRANSCOM, and DLA
- Reduces logistics timeline and support costs

BRIEFER: LTC Anthony J. Manganiello, Chief, Special Projects Office, Command, Control Systems and Integration Directorate, AMSEL-RD-C2-SPO, (908) 532-0014

LOGISTICS COMMAND & CONTROL (C2)


Objective

- To provide commanders with the capability to plan and execute more responsive and efficient logistics support.
- Enhance capabilities to plan, analyze, mobilize, deploy, sustain and reconstitute materiel, personnel and forces in combat or crisis response situations.
- Reduce logistics timeline & support costs.

Logistics C2


Overview

JTF CMDR Logistics Capability




LOGISTICS C2

Joint Logistics ACTD Schematic




LOGISTICS C2

Total Distribution ATD Schematic



LOGISTICS C2

Approach / Schedule



- Spiral Development Process
- Learn by doing - User Feedback
- Tune in Exercises
- JL ACTD utilizes Unified Endeavor Exercise
- TD ATD utilizes Prairie Warrior Exercises
- ACTD provides leave behind with operational forces
- ATD provides an “interim fix” while helping to identify requirements and solutions

LOGISTICS C2



IR&D TECHNOLOGY NEEDS

- DATA
 - Real time data updates
 - Data reconciliation
 - Data Adjudication
- TOOLS
 - Data visualization
 - Machine learning
 - 3-D visualization for logistics
- CONNECTIVITY
 - Multi-level security
 - Transportation of large data sets
 - Integration of disparate models
- INTEGRATION
 - Interactive ability to use selected data, tools & communications
 - Integrated applications for plans, simulations, training & execution

NOTES

AVIATION INTEGRATION TECHNOLOGY

NAVIGATION TECHNOLOGY



DR. JOHN NIEMELA
CHIEF, ELECTRONIC SYSTEMS DIVISION
COMMAND, CONTROL SYSTEMS
INTEGRATION DIRECTORATE
UNCLASSIFIED

AMSEL-RD-AS-TD

POINT PAPER

SUBJECT: Navigation Technology

OBJECTIVE: Apply, advanced sensor, digital terrain model (DTM) and integration technologies to improve navigation system accuracy and robustness. Robust and accurate navigation required for semi-automated guidance and precision target/emitter location. This project supports the Science and Technology Objective (STO) "Aviation Integration into the Digitized Battlefield", which has the goal to demonstrate one-meter positioning, registered in a digital terrain model (DTM) by FY 98.

FACTS:

- C2SID is conducting efforts in the areas of DTM suitability, Enhanced GPS, GPS Satellite selection Algorithms and Integration technology. The four areas will be brought together to support the FY 98 demonstration.
- It is projected that navigation technology will progress into the areas of multi-sensor, imagery, and multi-source map correlation/fusion to support position location, targeting and guidance. Such a technology is Visual Flow Field Navigation. In addition, concepts for extremely high integrity navigation data will be required for guidance and control of next generation platforms.

BRIEFER: John Niemela, Chief, Electronic Systems Division, Command, Control Systems and Integration Directorate, AMSEL-RD-C2-ES, (908) 427-4635

NAVIGATION TECHNOLOGY

Objective

- Improve navigation accuracy by an order of magnitude while operating in a hostile environment


NAVIGATION TECHNOLOGY

TECHBASE STRATEGIC PLAN

CURRENT CAPABILITIES	OBJECTIVE CAPABILITIES
EXTERNAL REF NAV	ROBUST NAV
GPS, TACAN, VOR, DME	WORLD WIDE
SELF CONTAINED NAV	ECM RESILIENT
INS (.2-1.0 NM/hr)	FAULT TOLERANT
AHRS (0.1 deg)	ADAPTIVE
DOPPLER RADAR (0.5% DT)	PRECISION NAV
INTEGRATED NAVIGATION	P: 2-4 m
ECM SUSCEPTIBLE	V: 10-20 mm/s
PERF SCENARIO DEPENDENT	T: 10-50 ns
NAV SENSORS EMANATE	INTEGRATED NAVIGATION IN
DATA BASE CHAOS	HIGH INTEGRITY DATABASE
FUNCTIONALITY SEPARATE	INTEGRATED FUNCTIONALITY
	IMPROVED REL & Affordability

NAVIGATION TECHNOLOGY

TECHBASE ROAD MAP



1995

2020

NAVIGATION TECHNOLOGY

Approach

- Digital Terrain Database (DTD) Suitability Study
 - Exploit DTD technology to support advanced integration concepts (NOE, TF/TA, TRN and Passive Ranging)
- GPS Satellite Selection Algorithm Study
 - Simulation and vehicle/flight test of alternative GPS satellite selection algorithms for NOE and ground applications

NAVIGATION TECHNOLOGY

Approach (Cont'd)

- PN Data Acquisition System (PNDAS) Development
 - Development of a data acquisition and truth reference system to host advanced integrated navigation systems
- Enhanced GPS for ECM Environments
 - Investigation, simulation and flight test evaluation of emerging GPS technologies

NAVIGATION TECHNOLOGY

IR&D Technology Needs

- GPS vulnerability reduction
- System concepts for Tactical/Civil Airspace
- Size/Cost reduction systems for soldier applications
 - GPS - PCMCIA Format
 - Inertial - Micro-Mechanical Inertials (MMI)
- Carrier Phase Differential GPS (DGPS)
- Adaptive Tactical Navigation (ATN)
- Low Probability of Intercept (LPI) DNS and RAD ALT
- Storage, compression and utilization of dense DTMs



NAVIGATION TECHNOLOGY

IR&D Technology Needs (Cont'd)

- Visionionics technology application to navigation
 - Correlation of digital imagery and live video for positioning, guidance and targeting
- Neural Network application to navigation
 - Correlation of multi-sensor input for position, guidance and targeting

NOTES

MISSION REHEARSAL



PETER CSIKY
PROJECT ENGINEER
COMMAND, CONTROL & SYSTEMS INTEGRATION
DIRECTORATE

UNCLASSIFIED

AMSEL-RD-AS-TD

POINT PAPER

SUBJECT: Mission Rehearsal


OBJECTIVE: To develop a real-time mission rehearsal capability on an Intel based PC Platform. The system increases the pilot's situational awareness by providing rehearsal capability over the terrain and tactical conditions anticipated during the time of the battle. Another significant use is as a Command and Control planning tool. Here, an operator can use the mission rehearsal tool to view the terrain for any line of sight application.

FACTS:

- The Mission Rehearsal allows for a preview of a position as a possible battle position for use by tanks or emplacement of air defense artillery or ground surveillance radar. Leaders' recons could be performed using this tool and eliminate the time required to go to the actual terrain.
- The RDEC has developed a real-time 3 - dimensional perspective view of the terrain called the Portable Mission Preview Device (PMPD).
- The current project is to transition from a preview device to a rehearsal device. The difference between the two will be an increase in situational awareness to allow a rehearsal to be conducted in the terrain and the conditions expected at mission time.

BRIEFER: Peter Csiky, Project Engineer, Command, Control Systems and Integration Directorate, AMSEL-RD-C2-PM-AV, (908) 427-4698

MISSION REHEARSAL OVERVIEW



MISSION REHEARSAL

OBJECTIVE

Objective

- Situational awareness
- Route rehearsal capability over the unfamiliar terrain.

MISSION REHEARSAL

APPROACH

- Register Controlled Image Base (CIB), SPOT or LANDSAT imagery with Digital Terrain Elevation Data (DTED).
- Provide a mission preview and rehearsal capability consisting of a real time, flicker free, 3-D perspective view of the terrain.
- Generate and display overlays such as buildings, powerlines, targets, threats, threat envelopes, GPS satellite availability, communications connectivity

MISSION REHEARSAL

APPROACH (CONT.)

- Integrate Terrain Evaluation Module (TEM) and Interim Terrain Data (ITD)/Tactical Terrain Data (TTD).
- Add rendering of meteorological conditions (i.e., Fog, weather ceiling, sun/moon position and illumination).
- Add FLIR and NVG rendering.
- Identify solution in CHS-2 environment.
- Port Mission Rehearsal to ground mission planning systems.

MISSION REHEARSAL

PROGRAM SCHEDULE

WORK PACKAGE TITLE: MISSION REHEARSAL	FY-94	FY-95	FY-96	FY-97	FY-98
DEVELOP ALGORITHMS					
DEVELOP BRASSBOARD HARDWARE					
DEVELOP DATA PREPARATION SOFTWARE					
DEVELOP INTERFACES AND CONTROL SOFTWARE					
DOCUMENT SOFTWARE					
DEMONSTRATIONS					
OBJECT DEMO					
HIGH RES DEMO					
TRAFICABILITY DEMO					



MISSION REHEARSAL

IR & D TECHNOLOGY NEEDS

- Develop a hardware/software solution for the CHS-2 (Sun Sparc-20) version.
- Reduce components count, power consumption and heat generation of graphics accelerator in LCU version.
- Develop software for interface with meteorological and intel systems to provide realistic NVG, FLIR or other sensor views based on predicted conditions at actual mission time.
- Develop software to provide full mission rehearsal to include communications connectivity, GPS satellite visibility, employment of ASE and fuel management.

NOTES

INTERACTIVE SPEECH TECHNOLOGY



LOCKWOOD REED
PROJECT ENGINEER
COMMAND, CONTROL SYSTEMS INTEGRATION
DIRECTORATE

UNCLASSIFIED

AMSEL-RD-AS-TD

POINT PAPER

SUBJECT: Interactive Speech Technology

OBJECTIVE: Automate Command-on-the-Move access to C2 application software and information retrieval utilizing state-of-the-art Speech Recognition technology with the ultimate goal of applying AI techniques to achieve Intent Understanding.

FACTS:

- Developed Voice Control B2C2 Interface
- Extended voice Controlled B2C2 Interface
- Developed Voice Controlled BCDSS Interface
- Developed Networked Speech Recognition
- Developed Virtual Speech Recognition
- Developed PCMCIA format Speech Recognizer
- Developed Baseline Next Generation Speech Recognition Algorithm.

BRIEFER: Lockwood Reed, Project Engineer, Command, Control Systems and Integration Directorate, AMSEL-RD-C2-ES-I, (908) 427-2559

INTERACTIVE SPEECH RECOGNITION

OBJECTIVE:

- Provide C2 On-the-Move Improved Soldier/Machine Interface
 - o Hands Free Operation
 - o Reduce Data Entry Time
 - o Provide Natural Speech Capability
- Develop a Next Generation Speech Recognition Capability
 - o Natural Speech/Speaker Independent
 - o Incorporates Natural Language Processing
 - o Incorporates “Intent Understanding”
 - o Useable in High Ambient Noise Environments


INTERACTIVE SPEECH RECOGNITION

APPROACH:

- “Turn Key” Speech Recognition Technology for Common Hardware Software Suite
 - Universal Software Interface(Completed)
 - Natural Speech Recognition(Completed)
 - Applications Demonstrations(Completed)
 - Network Speech Recognition(Completed)
 - Virtual Speech Recognition(Completed)
 - Diverse Form Factors(Partial)
 - User Friendly Developers Toolkit
- Next Generation Speech Recognition Technology
 - Baseline Natural Speech/Speaker Independent Technology(Completed)
 - Noise Robustness
 - Natural Language
 - Intent Understanding

Networked Virtual Speech Recognition

Network



INTERACTIVE SPEECH RECOGNITION



IR&D TECHNOLOGY NEEDS:

- Develop Next Generation PCMCIA Speech Processor Card
- Baseline Plus Noise Robustness
- Baseline Plus Natural Language
- Baseline Plus Intent Understanding

NOTES

TACTICAL POWER

FUEL CELLS



RICHARD JACOBS PROJECT ENGINEER COMMAND, CONTROL SYSTEMS INTEGRATION DIRECTORATE UNCLASSIFIED

POINT PAPER

SUBJECT: Fuel Cells

OBJECTIVE: The Fuel Cells program is aimed at meeting the goals of the Soldier Individual Power. It is a four year effort with demonstrations in FY96 and FY98. The CECOM RDEC has been working agreements with other organizations at many levels and are influencing development programs at the Army Research Laboratory and the Advanced Research Projects Agency.

FACTS:

- The Fuel Cell Power Sources are much like batteries that consume external fuel. The fuel cells being developed at C2SID consume Hydrogen and Oxygen (air) and produce water, heat and electric power.
- The proton Exchange Membrane (PEM) Fuel Cell has been selected for the small power source applications since it has the lowest signature and is one of the least complicated types of fuel cell.
- Applications for this technology include Soldier Individual Power, remote sensors, Unmanned Aerial Vehicles, Unmanned Underwater Vehicles, battery charging, microclimate cooling, lightweight TOC's and other systems where energy requirements are significant and engine generator sets are not acceptable.
- A good goal for industry would be a system that is simple, rechargeable, and that contains greater than 10% hydrogen by weight. In addition techniques for producing and using hydrogen on the battlefield with minimal logistic impact.

BRIEFER: Richard Jacobs, Project Engineer, Command, Control Systems and Integration Directorate, South, AMSEL-RD-C2-PD-E, (703) 704-2637


FUEL CELL SCHEMATIC

Fuel Cell

- A Device Which Produces Electricity Cleanly, Silently, And Efficiently

- Works by Electrochemically Reaction in Which the Energy of a Fuel And an Oxidant Are Transformed Into DC Current.

- Reactant Chemicals Are Supplied From an External Source, Not Stored Within



FUEL CELLS

OBJECTIVE

SOLDIER INDIVIDUAL POWER

FY96- USING BEST AVAILABLE HYDROGEN/AIR PROTON EXCHANGE MEMBRANE (PEM) FUEL CELL TECHNOLOGY:

- DEMONSTRATE FUEL CELL POWERED BATTERY CHARGER (1200 WATT-HRS CHARGE PER KG FUEL)
- EVALUATE PRESSURIZED HYDROGEN/OXYGEN PEM FUEL CELL AND COMPARE TO EXISTING HYDROGEN/AIR SYSTEMS TO DETERMINE IF FURTHER DEVELOPMENT IS WARRANTED
- DEMONSTRATE 50WATT/200WATT-HR FUEL CELL (2 KG) AND CHARACTERIZE A 500 WATT-HR UNIT

FUEL CELLS

OBJECTIVE CONTINUED

**FY 98- USING BEST AVAILABLE PEM FUEL CELL
TECHNOLOGY HYDROGEN/AIR, HYDROGEN/OXYGEN,
OR LIQUID FUEL**

**•DEMONSTRATE 50WATT/200 WATT-HR UNIT
WEIGHING LESS THAN 1.0 Kg**

**•DEMONSTRATE 150 WATT/600 WATT-HR UNIT
WEIGHING LESS THAN 2.5Kg**

FUEL CELLS APPROACH

COMBINED DEVELOPMENT EFFORTS WITH THE ARMY RESEARCH OFFICE, ARMY RESEARCH LAB, ADVANCED RESEARCH PROJECTS AGENCY AND INDUSTRY THAT WILL PROVIDE DEMONSTRATIONS IN FY 96 AND FY98 OF SMALL FUEL CELL POWER SOURCES

!

REQUIRED DEVELOPMENTS

REDUCTION IN STACK WEIGHT

WATER MANAGEMENT

IMPROVED HYDROGEN SOURCES

DIRECT METHANOL FUEL

THERMAL MANAGEMENT

CYCLE LIFE DETERMINATION

MILITARY REQUIREMENTS

SYSTEM INTEGRATION

FUEL CELLS APPLICATIONS

SMALL FUEL CELL POWER SOURCES

**FUEL CELLS OFFER THE SILENCE, SIMPLICITY
AND RELIABILITY OF BATTERIES, WITH THE
ABILITY TO REFUEL LIKE AN ENGINE**

SOLDIER INDIVIDUAL POWER

REMOTE SENSOR/SENSOR SUITES

BATTERY CHARGING

MICROCLIMATE COOLING

LIGHTWEIGHT TACTICAL OPERATIONS CENTER

FUEL CELLS SCHEDULE

FY95 FY96 FY97 FY98

ACT II CONTRACT	_____	_____	_____	_____
ANALYTIC POWER CORP	_____	_____	_____	_____
INTERNATIONAL FUEL CELLS	_____	_____	_____	_____
FY 96 STO GOALS	_____	DEMO	_____	_____
DEVELOPMENT CONTRACT	_____	_____	_____	_____
FY98 STO GOALS	_____	_____	_____	DEMO


FUTURE TECHNOLOGY NEEDS

- **Hydrogen
Sources**

10% Weight Hydrogen

- **Cycle Life**

500 Cycles



- **Cost Reduction**

\$1000/kw

- **System
Integration**


Functional Power Sources

NOTES

SESSION IV


INTELLIGENCE AND ELECTRONIC WARFARE (IEW)

STRATEGY & OVERVIEW




DR. FRANCIS WILLIAMS ASSOCIATE DIRECTOR FOR SYSTEMS INTELLIGENCE AND ELECTRONIC WARFARE DIRECTORATE UNCLASSIFIED

Army Modernization Objectives



Win the Battlefield Information War

To Win the Information War We Must



Mission


Provide the U.S. Army effective Command and Control and Information Warfare:

- Signals Intelligence
 - Electronic Support/Attack
 - Measurement and Signature Intelligence
 - Meteorological Sensing
 - Intelligence Data Fusion and Dissemination


Functions:

- Define, develop and acquire superior technologies
- Prototype and evaluate advanced system concepts
- Develop and Acquire non-major systems and equipment
- Provide development and acquisition support to Program Executive
- Officers and Project Managers (PEO/PM)

Intelligence and Electronic Warfare Directorate



Intelligence and Electronic Warfare Directorate




Fort Monmouth, NJ
◦ RDT&E Facilities


Vint Hill Farms
Station, VA
◦ Headquarters
◦ RDT&E Facilities




Fort Huachuca, AZ
◦ Technology
Assessment Center

Artist Concept IEWD Building Ft. Monmouth, N.J.







IEWD Customers










SUPPORT TO PEOs & PMs






Strategic SIGINT







New Situation





Lethal vs. Non-Lethal operations






Multiple Emerging Threat Scenarios




Proliferation of Equipment & Technology Types



Technology



Technology Sources




Technology Goals

Provide technology to:


- Locate and exploit hostile command, control, and communications (C3) systems and other battlefield emitters and sensors
- Deny hostile forces use of their C3 and sensor assets
- Process, analyze, correlate and disseminate battlefield intelligence and combat information

*Thereby “Knowing the Enemy
and “Owning the Spectrum”*

Technology Challenges in Electronic Warfare Support





Signal Processing



- COMINT & ELINT
- Exploit modern signals
- Improve geo-location accuracies
- Automate process




Technology Challenges in Electronic Attack

Communications and Non-Communications Antennas and Receivers



- Attack modern signals
- Electronic deception
- Friendly comms compatibility
- Smaller, efficient antennas

Technology Challenges in Intelligence Data Fusion



- IEW Operations Management
- Portray the ALL SOURCE Picture
- Intelligence Dissemination and Reproting

Conclusion

- Worldwide battlefield dependence on information
- Technology goals meet emerging threats, IEW concepts and product improvements
- *Solicit active industry participation to meet technology challenges*

*“Owning the spectrum to
Win the Information War”*

IEWD IR&D CONFERENCE

**Westfields Conference Center
Chantilly, VA**

19 October 1995

TOPICS:

**Antenna/Direction Finding
Advanced Receivers & Digital Processors
Signal Detection/Classification
Intelligence Data Fusion**

POC: Ms. Linda Monroe (540) 349-7370

IEWD IR&D Conference


Intelligence and Electronic Warfare Directorate

- Advanced Non-Communications Electronic Warfare
 - Signal Processing - *Dr. Frank Elmer*
- Advanced Communications/
Non-Communications Electronic Countermeasures
 - Non-Communications EW Receivers - *Dr. Frank Elmer*
 - Advanced IEW Antenna Technology - *J. Thomas Dizer*
- Electronic Warfare Processing Techniques
 - Tactical Intelligence Data Fusion - *Richard Anthony*

NOTES

ADVANCED NON-COMMUNICATIONS ELECTRONIC WARFARE

SIGNAL PROCESSING



DR. FRANK J. ELMER SENIOR TECHNICAL ADVISOR INTELLIGENCE AND ELECTRONIC WARFARE DIRECTORATE UNCLASSIFIED

POINT PAPER

SUBJECT: Signal Processing

OBJECTIVE: To inform industry of IEWD Plans to migrate digital signal processors into the open architecture compliant with the Joint Airborne SIGINT Architecture (JASA).

FACTS:

- IEWD has a joint program with the Air Force to cast the best of the available algorithms into Computer Aided Software Engineering/Computer Assisted Engineering (CASE/CAE) objects using a subset of the Rapid Prototyping for Application Specific Signal Processors (RASSP) toolset developed by the Advanced Research Projects Agency (ARPA).
- These RASSP tools will permit development/demonstration of a virtual prototype with data from a variety of SIGINT receivers. These tools will also permit optimization and a hardware/software tradeoff to be performed. The output will be VHSIC High Level Design Language (VHDL) for the processes to be rendered in hardware and C++ or Ada for the processes to be rendered in software. This process will allow the SIGINT processor to be implemented using the latest open architecture compatible technology.
- The RASSP tools are available to industry and will be the wave of the future for hardware/software development. RASSP info is available by calling (803)-760-3376, E-mail: info@rassp.scra.org, World Wide Web: <http://rassp.scra.org>
- IEWD invites industry to participate through casting their algorithms into the appropriate RASSP objects, demonstrating them using the IEWD virtual prototype, and proposing them for inclusion into JASA.

BRIEFER: Dr. Frank J. Elmer, Senior Technical Advisor, Advanced Concepts Division, Intelligence and Electronic Warfare Directorate, ATTN: AMSEL-RD-IEW-TAE-M, (908)-427-5956

SIGNAL PROCESSING

Objective

- **Provide the user with Digital Signal Processors that utilize state-of-the-art technology and the capability to process current threat signals in a Battlefield environment.**
- **Migrate Digital Signal Processors into an open architecture compliant with Joint Airborne SIGINT Architecture (JASA) standards to handle future threats in support of joint airborne and ground based applications.**
- **Provide upgrades to PEO IEW/PM-SW platforms (e.g., GBCC, AQF, ARL, and GRCS) as required.**

SIGNAL PROCESSING

Challenges

- Technology independent processor architectures that:
 - Permit implementation in the latest hardware/software
 - Permit combining the “best” parts of previously developed algorithms
 - Permit combining the data from and orchestrating a set of special purpose subreceivers required to cover the modern non-comm signals


SIGNAL PROCESSING

Challenges


- **Accepting very large pulse descriptor words at a very fast rate for a prolonged period**
- **Extracting information content from the very high speed flow of pulse descriptor word data**
- **Interoperability at the parameteric level with other sensors to combine their information**
- **Recognizing the difference between comm and non-comm emitters with similar waveforms**
- **Recognizing when a signal reported by a subreceiver does not fit in the class of signals for which the subreceiver was designed**

Drivers for Electronic Support (ES)


Radar



Radar



ES Challenge




Required ES Technology

Improvement	Higher Frequency • MMW	VHF - MMW Coverage	Wideband Antennas Freq. Surveillance for ES Receiver Cueing 360 Degree Coverage
Smaller Size Better Resolution	Phased Arrays • Low Sidelobes • Electronic Scan	Lower Probability of Intercept	
Less Clutter Multi-Target Search/Track	MIMIC • Smaller Size/Power • Improved Sensitivity	Lower Effective Radiated Power	More Sensitivity
Clutter rejection	Analog/Digital Processing • Complex Waveforms • Improved Sensitivity • Adaptive Scan/Waveform	Complex Waveform Detection/ Measurement/DF Difficult Deinterleaving Emitter ID/Geo-location	Waveform Detection Cued Demodulators Better Deinterleaving, AOA, TOA
Improved Target Acq & Tracking			
Avoid Addl Xmtr	Embedded IFF/MG Signals Communications • Other Sensor Hand-off	Simultaneous Comm Waveform Signals	ELINT/COMINT Fusion
Shorter On-Time Improved Target Recog/Tracking	Databases Displays	Short Response Time Req.	Faster ID/ Geo-location

Architecture

Pulse Description Words from Receiver



SIGNAL PROCESSING

Approach


- Joint Airborne SIGINT Architecture
 - Distributed computing
 - High Speed Data Networks/Busses
 - C++, Ada
 - COTS where mature and supportable
- Processing power available makes it possible to do all processing in the ES sensor

SIGNAL PROCESSING

Approach

- **New way of developing/documenting/optimizing system software**
 - **Rapid Prototyping for Application Specific Signal Processors (RASSP)**
 - **\$150M ARPA effort to develop tool set**
 - **Commercially available**
 - **Provides means to virtual prototype/optimize/document design and spit out High Level Language/VHDL**

Schedule



SIGNAL PROCESSING

Applications

- **Downsizing, limited funding, deliberate decision to skip a generation of systems all limit and force changes to the normal way of doing business**
- **DARO Initiatives**
 - **Joint Airborne SIGINT System (JASS)**
 - **Unmanned Aerial Vehicles (UAVs)**

SIGNAL PROCESSING

Applications

- Only current active program is “Algorithm Conversion” which is joint Army/Air Force project to develop the next generation of ES processors for fielded systems
 - Uses algorithms from previous programs
 - Uses subset of RASSP tools
 - Virtual Prototype generates HOL/VHDL Specifications
 - Customizable to any ES receiver

SIGNAL PROCESSING Transitions

- **PEO IEW, PM-SW platforms**
 - **Ground Based Common Sensor (GBCS)**
 - **Advanced Quickfix (AQF)**
 - **Airborne Reconnaissance Low (ARL)**
 - **Guardrail Common Sensor (GRCS)**
- **Join IEWD in Cooperative R&D**
 - **No cost, win-win effort to leverage IEWD resources and your IR&D resources**
 - **Opportunity to demonstrate your IR&D products to potential customers on a tri-service basis**

SIGNAL PROCESSING



Future Technology Needs

- **Techniques to fuse the data from a set of special purpose subreceivers**
- **Techniques to orchestrate the set of special purpose subreceivers**
- **Improved deinterleaving algorithms to handle modern highly agile emitters**
- **Improved pulse train descriptors for the agile emitters**
- **Modular pulse parameter descriptor words**
- **Technology and Techniques for accepting and processing 256 bit pulse descriptor words at a rate of 15 million per second**

NOTES

ADVANCED COMMUNICATIONS ELECTRONIC COUNTERMEASURES DEMOS

NON-COMM EW RECEIVERS



DR. FRANK J. ELMER
SENIOR TECHNICAL ADVISOR
INTELLIGENCE AND ELECTRONIC
WARFARE DIRECTORATE
UNCLASSIFIED

POINT PAPER

SUBJECT: Non-Comm EW Receivers

OBJECTIVE: To inform industry of IEWD Technologies/Plans in migrating to future efforts

FACTS:

- IEWD has projects, both in-house research and contractual efforts, in developing and transitioning technologies.
- The vision of these projects is to be consistent/compliant with the Joint Airborne SIGINT Architecture (JASA) standards which will be finalized June 1996, and with other critical Army ongoing systems. Prevailing against future threats within the evolving array of combat scenarios, is important, and thus should present to industry an almost vast panoply of technological opportunities. These opportunities will be guided by the need for lower weight, size and cost, coupled with the cost-effective advantages of electronic steerability/adaptability over wide-bands and new materials.
- IEWD invites industry to participate through free-market engineering data exchanges between government and industry, and gear up for inclusion of future/present technologies into JASA.

BRIEFER: Mr. Mark Coy, Project Leader, Advanced Concepts Division, Intelligence and Electronic Warfare Directorate, ATTN:AMSEL-RD-IEW-TAE-M, (908)-427-5746.

NON-COMM EW RECEIVERS

Objective

- **Provide the EW user with receivers that employ state-of-the-art technology and the capability to intercept, ID, and locate current/future threat signals in a Safe-Haven/Early Entry/Battlefield environment.**

NON-COMM EW RECEIVERS

Vision

- Migrate EW receiver technologies into an open architecture, compliant with Joint Airborne SIGINT Architecture (JASA) standard and other standards (e.g. ground based, sea borne, etc.); in order to prevail against future threats within the evolving array of combat scenarios.

NON-COMM EW RECEIVERS

Challenges




- **Detection, angle-of-arrival determination, and accurate parameteric description of each non-comm pulse in a dense , wideband environment**
- **Use the appropriate combination of each technology (e.g., compressive, IFM, acousto-optic, etc.) to do the signal processing that it does best**
- **Coordination of the specifications and capabilities of the various subreceivers to form a comprehensive set, to handle the required signals**

NON-COMM EW RECEIVERS

Challenges


- Extracting the information contained in the data measured by the subreceiver to reduce the input rate to the processor
- Control of the subreceivers to act as a team
- Covering the .4 to 40 GHz frequency range with a high probability of intercept
- Devising a flexible pulse descriptor word structure which can support the varying capabilities of the subreceivers
- Recognizing when a signal reported by a subreceiver does not fit in the class of signals for which the subreceiver was designed

Drivers for Electronic Support (ES)

Radar Improvement		 Radar Technology	 ES Challenge	 Required ES Technology
Smaller Size Better Resolution	Higher Frequency • MMW	VHF - MMW Coverage	Lower Probability of Intercept	Wideband Antennas Freq. Surveillance for ES Receiver Cueing 360 Degree Coverage
Less Clutter Multi-Target Search/Track	Phased Arrays • Low Sidelobes • Electronic Scan			
Smaller Target Detection	MIMIC • Smaller Size/Power • Improved Sensitivity	Lower Effective Radiated Power	More Sensitivity	
Clutter rejection	Analog/Digital Processing • Complex Waveforms • Improved Sensitivity • Adaptive Scan/Waveform	Complex Waveform Detection/ Measurement/DF Difficult Deinterleaving Emitter ID/Geo-location	Waveform Detection Cued Demodulators Better Deinterleaving, AOA, TOA	
Avoid Addl Xmtr	Embedded IFF/MG Signals	Simultaneous Comm Waveform Signals	ELINT/COMINT Fusion	
Shorter On-Time Improved Target Recog/Tracking	Communications • Other Sensor Hand-off	Short Response Time Req.	Faster ID/ Geo-location	
	Databases			
	Displays			

Schematic Representation of Classes of EW Receivers

RF Inputs from Omni/High Gain Multiband Antenna



NON-COMM EW RECEIVERS

Approach

- **Modularity**
- **Interchangability/Multi-Function**
- **Broadband, Hi Sensitivity, Lower Cost, & Weight**
- **Faster/Higher data rate receiving, resolution, less noise, wider bandwidth A/Ds**
- **Extended signal set intercept capabilities**

Schedule

	FY93				FY94				FY95				FY96				FY97				FY98			
INDUSTRY OPPORTUNITIES	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Receivers																								
LAB/FIELD DEMOS (PM Decision Points)																								
GOVERNMENT PROJECTS																								
- SCCI																								
- WB Upgrade Hybrid IFM																								
- UTM																								
- VWB Compressive																								
- Digital Microscan																								
- Impulse																								

NON-COMM EW RECEIVERS

Applications

- **Retrofit (PIP) to existing systems**
- **Incorporation into JASA standards**
- **Application to other platforms
(e. g., UAVs)**
- **Commonality between Airborne
and Ground based platforms**
- **Dual use Technology**

NON-COMM EW RECEIVERS

Transition

- PEO IEW, PM-SW platforms
 - Common Module ELINT System (CMES)
- Air Force programs
 - Rivet Joint
- Join IEW in cooperative R&D
 - Opportunity to demonstrate your IR&D products to potential customers on a Tri-Service basis

NON-COMM EW RECEIVERS

Future Technology Needs

- **Rapid tuning downconverters to convert .4 to 40 GHz to IF Bandwidths of 2, 10, 50, 500, 1000, 2000 MHz with low phase noise and amplitude/phase matching between multiple channels**
- **Subreceivers specifically configured to handle the following signal set:**
 - **Unmodulated simple pulse**
 - **Frequency Modulated pulse (linear, non-linear, FSK)**
 - **Phased Modulated pulse (MPSK, M=2,4,8)**
 - **Impulse**
 - **Pulse widths: .1 nsec - 680 microseconds**

NON-COMM EW RECEIVERS

Future Technology Needs

- Capability to monitor the .4 to 40 GHz band for rapid detection of new signals
- Capability to accurately measure pulse
 - Time-of-Arrival <5 nsec
 - Angle-of-Arrival <1 degree
 - Amplitude < 2 dB
 - Modulation
- Modular, 6UVME footprint, Joint Airborne SIGINT Architecture compliant
- Rugged, small size, weight, power

NOTES

ADVANCED IEW ANTENNA TECHNOLOGY



JOHN T. DIZER

**CHIEF, INFORMATION WARFARE TECHNOLOGY
BRANCH
INTELLIGENCE AND ELECTRONIC WARFARE
DIRECTORATE
UNCLASSIFIED**

POINT PAPER

SUBJECT: Advanced IEW Antenna Technology

OBJECTIVE: To inform industry of IEWD program to develop a family of modern antennas incorporating interdisciplinary state-of-the-art technology. These antennas shall provide both intercept and jamming capability to accomplish on-the-move operations with enhanced electronic parameters while significantly reducing size and weight.

FACTS:

- IEWD is conducting a program to modernize the electronic warfare capability of the U.S. Army forces. Concepts of heavy jammers with limited mobility, frequencies, critical net coverage and signal propagation are being replaced by flexible systems that support high mobility and deep attack forces; multiple frequencies, modes and nets; minimal manning and training and automated IEW mission and management functions.
- A critical RF subsystem that needs special attention is the front end equipment, that must be capable of radiating and receiving the sophisticated signals and information of modern day warfare. At this time, the weakest link of modern EW-communication systems are both transmitting and receiving antennas of diverse applications.
- The antenna modernization program at IEWD includes, for example: A ceramic-dielectric antenna, capable to steer its main beam by means of an applied DC voltage. This inexpensive and lightweight antenna can be used as the basis of an array antenna. At the present, R&D efforts are still in a developmental stage and need refining. Another concept is the use of modern superconductors of high critical temperature (HTS). An HF antenna can effectively utilize HTS technology by incorporating in its network, HTS elements that will greatly enhance its radiation parameters. At the present, a prototype HTS impedance matching network with very fast frequency tuning has been fabricated. It needs further developing to be rendered size and weight compatible as well as cost effective. Also an HF antenna using an HTS delay line has been built and tested. It needs to be optimized in terms of its internal circuit's impedance matching, dielectric loading, etc., in order to be rendered effective and efficient. Other antennas in developmental stages include a wideband patch antenna, a circular antennas array, a Butler matrix and also a superconductive, low band spiral antenna.
- IEWD invites industry to participate through proposing, designing and manufacturing antennas with advanced technology aimed to the special applications of ESM and ECM, demonstrating them in realistic environments and presenting them for possible insertion into the Army inventory.

BRIEFER: Mr. Thomas N. Tuma, Senior Engineer/Physicist, Research and Technology Division, Intelligence and Electronic Warfare Directorate,
ATTN: AMSEL-RD-IEW-TRS, (703) 349-7460.

ADVANCED IEW ANTENNA TECHNOLOGY


Objective/Vision

Provide both intercept and jamming antennas that support on-the-move operations with better gain and efficiency, while significantly reducing size; thereby contributing to the goal of owning the spectrum.

ADVANCED IEW ANTENNA TECHNOLOGY Challenges

- Small, on the move antennas for HF and VHF
- Greater gain
- Greater directivity
- Optimize Power Output
- Greater DF accuracy
- Need to co-exist with other interfering subsystems

Schematic Representation of Classes of EW Antennas



High Temperature Superconductive (HTS) Electronic Attack Antennas

Approach

- Use both bulk and thin film materials
- Use the newest material: flexible HTS thick film
- Develop superconductive components; inductors, delay lines, filters, splitters/combiners, etc.
- Realize antenna design previously impossible with non-superconductor materials
- Use Fast Tuning if necessary

High Temperature Superconductive (HTS) Electronic Support Antenna

Approach


- **Utilize superconductive matching circuit and butler matrix**
- **Cryogenic cooling of solid state devices for noise reduction**

High Temperature Superconductive (HTS) Antennas and Materials

Objective / Vision:

- Develop small electronic support and electronic attack antennas and/or antenna couplers utilizing high temperature superconductive (HTSC) materials and technologies; deployable on tactical ground and air platforms

Schedule



ADVANCED IEW ANTENNA TECHNOLOGY

Transitions:

- AN/TLQ-17A jammer
- Ground platforms for IEW Ground Based Common Sensor (IEWCS)
- Advanced Quick Fix (AQF)

Potential critical customer:

- PM-SW
- CMES (Common Module ELINT System)
- ARL (Airborne Reconnaissance Low)
- Other Tri-Service & Agency interest


ADVANCED IEW ANTENNA TECHNOLOGY Future Technology Needs

- **Improved antenna couplers**
- **Improved high power, high temperature superconductive (HTS) materials**
- **Flexible HTS materials for front end structures**
- **Smart antenna / coupler control mechanisms**
- **Ruggedization for EW on-the-move application**
- **Conformal antennas**
- **Lower Weight, Size and Cost**
- **Higher sensitivity**

NOTES

WARFARE PROCESSING TECHNIQUES

TACTICAL INTELLIGENCE DATA FUSION



RICHARD ANTONY
COMPUTER SCIENTIST
INTELLIGENCE AND ELECTRONIC
WARFARE DIRECTORATE
UNCLASSIFIED

POINT PAPER

SUBJECT: Tactical Intelligence Data Fusion

OBJECTIVE: To provide information on the CECOM Intelligence and Electronic Warfare Director's (IEWD's) interest and cooperative development opportunities with industry in the area of tactical intelligence data fusion.

FACTS:

- IEWD is developing technologies that support enhanced information dissemination and exchange, collection management, multi-sensor fusion, terrain reasoning and battlefield damage assessment.
- This briefing described IEWD's principal in-house programs that address these technologies.

BRIEFER: Mr. Richard Antony, Computer Scientist, Data Fusion Branch, Research and Technology Division, Intelligence and Electronic Warfare Directorate, AMSEL-RD-IEW-TRF, (703) 540-7313.

TACTICAL INTELLIGENCE

DATA FUSION

Objective

Provide the technology products to PM Information Fusion, PM Signals Warfare and the Battle Labs that enable, enhance, and protect the Commander's decision and execution cycle while influencing an opponent's decision and execution cycle.

TACTICAL INTELLIGENCE

DATA FUSION

Vision

Achieve the effective fusion of data from multiple intelligence sources to provide the Commander with a concise and comprehensive understanding of the current enemy situation and intention.


TACTICAL INTELLIGENCE

DATA FUSION

Challenges

- **Interfacing heterogeneous systems**
- **Asset management**
- **Fusion process automation**
- **Spatial reasoning**
- **Battlefield damage assessment**

The Data Fusion Model




TACTICAL INTELLIGENCE DATA FUSION

Approach

- Develop and transition the following technologies:
 - Database level interface paradigm for linking the All Source Analysis System (ASAS) and the Common Ground Station (CGS) Advanced Technology Demonstration
 - Collector/jammer placement tool
 - Signals Intelligence (SIGINT) / Moving Target Indicator (MTI) Radar cross-cuing and fusion
 - Set operation generation to support spatial reasoning
 - Tools and techniques to support all-source Battlefield Damage Assessment (BDA)

The Data Fusion Architecture:

Project Mapping



Schedule

	96	97	98	99	00
Database-to-database interface	BCBL(H) ▲				
ASAS-CGS		ASAS, COE ▲			
Advanced sensor tasking & reporting			IEWCS ▲	ASAS ▲	
Collector / Jammer placement					
ES / EA effectiveness		ASAS, IEWCS ▲			
FLIR / IR , video				IEWCS ▲	ASAS ▲
Airborne planning					

Schedule

	96	97	98	99	00
SIGINT / MTI Fusion					ASAS, IEWCS
Correlation / templating					ASAS, IEWCS
Auto track					ASAS, IEWCS
Cross cuing / sit display					ASAS, IEWCS
TEM / ORM					ASAS, IEWCS
Prototype / TEM					
Develop operational scenarios					COE / CASS, AMBISS, SIGINT / MTI
BDA Tools					BCBL(L)
					ASAS

TACTICAL INTELLIGENCE DATA FUSION

Applications

- **Advanced asset management and placement capabilities**
- **Multi-sensor fusion and sensor cross-cuing**
- **Advanced spatial reasoning tools and capabilities**
Advanced Battlefield Damage assessment tools
and techniques
- **Commercial applications**
 - **Cellular communications planning**
 - **Medical diagnosis**
 - **Multi-media heterogeneous database networking**

TACTICAL INTELLIGENCE DATA FUSION

Transitions

- PM Signals Warfare:
 - Sensor placement tool
 - Database to database interface
 - SIGINT / MTI fusion algorithms and templating tool
- Battle Command Battle Lab (Huachuca):
 - Database to database interface
- Battle Command Battle Lab (Leavenworth):
 - Battlefield Damage Assessment tool

TACTICAL INTELLIGENCE DATA FUSION

Transitions

- **PM Information Fusion:**
 - **Sensor placement tool**
 - **Database to database interface**
 - **SIGINT / MTI fusion algorithms**
 - **Battlefield Damage Assessment**

TACTICAL INTELLIGENCE DATA FUSION

Future Technology Needs



- Commercial database products for interfacing legacy systems
- Airborne asset planning
- All source fusion techniques and tools
- Increased use of non-sensor derived domain knowledge in automated algorithms
- Advanced database management systems
- Improved human-computer interfaces
- Formalization of an underlying theory of data fusion

NOTES

SESSION V

NIGHT VISION ELECTRONIC SENSORS


STRATEGY & OVERVIEW



Mr. Larry L. Fillian
Director, Technical Support and Operations
NIGHT VISION & ELECTRONIC SENSORS
DIRECTORATE

UNCLASSIFIED

NVESD - Sensors for the Battlefield




Mission Focus

- **Conduct Research and Development to Provide US Forces with Advanced Sensors and Sensor Suites to Dominate the 21st Century Digital Battlefield**
 - **Acquire/Engage Enemy Forces Day or Night and Under Adverse Battlefield Environments**
 - **Deny the Enemy the Same Capabilities Through Electronic/ Electro-Optic Means and/or Camouflage, Concealment, Deception**
 - **Detect and Neutralize Mines and Minefields**
 - **Protect U.S. Forces From Friendly Fire**
 - **Protect Fixed Installations and Rear Echelons from Enemy Intrusion**





**See and Control the Battlefield
Around the Clock in All Battlefield Conditions**

Organization





Night Vision and Electronic Sensors

Ft. Belvoir, VA



Night Vision and Electronic Sensors

Ft. Monmouth, NJ



Core Technologies

TECHNOLOGY

- Thermal Imaging
 - Forward Looking Infrared (FLIR)
 - Infrared Search & Track (IRST)
- Image Intensification (I²)
- Charge Couple Devices (CCD)
- Radar
- Sensor Fusion
- Advanced Optics
- Focal Plane Array Standardization
- High Density Processors
- Aided Target Recognition (ATR)
- Specialized Software
- Lasers / Laser Radar (LADAR)
- Sensor CAD / CAM
- Hyperspectrals
- Modeling & Simulation
- Camouflage


FUNCTIONS

- Surveillance & Target Acquisition for Soldier, Ground/Air Platforms, Missiles
- Silent Watch / Scouts
- Pilotage / Obstacle Avoidance
- Protection Suites
- Identify Friend or Foe (IFF)
- Mine Detection
- Countermine / Intrusion Protection
- Camouflage / Deception
- Air Defense
- Special Activities
- Modeling & Simulation (Constructive / Interactive)
- Training
- Dual Use

Technology Leadership and Focus

- **Army/DoD Lead for:**
 - Night Vision and Electronic Sensors
 - Tactical Laser Technology
 - Aided Target Recognition/Sensor Fusion
 - Counter Mine Technology
 - Tactical Electronic Warfare Technology
- **National Focal Point for Target Acquisition Modeling**
- **Development and Configuration Manager for 1st/2nd Generation FLIR Standardization**
- **Key Technical Leaders on Army Research Office (ARO) University Research Initiatives (URI)**

Technology Investment Strategy



Technology Demonstrators

Aviation

- Obstacle Avoidance System
- Radar Deception & Jamming
- Multi Sensor Aided Targeting
- Advanced Image Intensification
- Advanced Helicopter Pilotage
- Multispectral Countermeasures
- Air/Land Enhanced Recon & Targeting

Adv Land Combat

- Integrated Sight Modules
- 2nd Gen Tank Sight
- Remote Sentry
- Hunter Sensor Suite
- Target Acquisition Sensor Suite
- Enhanced Survivability Sensor Suite
- Aerial Scout Sensors Integration
- Combat ID
- Advanced Camouflage

Air Defense

- Electronic Integrated Sensor Suite
 - Masked Target Kill
- Engineer & Mine Warfare
- Close-In Manportable Mine Detector
 - Off-Route Smart Mine Clearance
 - Vehicle Mounted Mine Detector
 - Demining & OOTW
- Fire Support
- Bistatic Radar
 - Multimission UAV Payload

Technology Demonstration Involvement

<u>PROGRAM</u>	<u>LEAD</u>	<u>USER</u>
• RFPI ACTD	MICOM	DBBL
• HUNTER SENSOR SUITE ATD	NVESD	DBBL
• REMOTE SENTRY ATD	NVESD	DBBL
• AERIAL SCOUT SENSOR INTEGRATION TD	NVESD	DBBL
• RFPI C2 TD	C2SID	DBBL
• INTELLIGENT MINEFIELD ATD	ARDEC	DBBL
• ADVANCED IMAGE INTENSIFICATION (AI2) ATD	NVESD	DBBL
• GEN II SOLDIER ATD	NATICK	DBBL
• OBJECTIVE INDIVIDUAL COMBAT WEAPON ATD	ARDEC	DBBL
• OBJECTIVE CREW SERVED WEAPON	ARDEC	DBBL
• INTEGRATED SIGHT MODULE TD	NVESD	DBBL
• HIGH RESOLUTION DISPLAYS TD	NVESD	DBBL
• CLOSE IN MAN PORTABLE MINE DETECTOR ATD	NVESD	DBBL
• JOINT COUNTERMINE ACTD	NVESD	MWBL
• ADVANCED CAMOUFLAGE EXPERIMENT ATD	NVESD	MWBL
• VEHICLE MOUNTED MINE DETECTOR ATD	NVESD	MWBL
• OFF ROUTE SMART MINE CLEARANCE ATD	NVESD	MWBL

Technology Demonstration Involvement

<u>PROGRAM</u>	<u>LEAD</u>	<u>USER</u>
• TARGET ACQUISITION ATD	NVESD	MWBL
• MULTIFUNCTION LASER TD	NVESD	MWBL
• ADVANCED TANK TECHNOLOGIES TD	TARDEC	MWBL
• CREWMAN'S ASSOCIATE ATD	TARDEC	MWBL
• CAC2 ATD	C2SID	MWBL
• ANTI-ARMOR ATD	AMSAA	MWBL
• HIT AVOIDANCE ATD	TARDEC	MWBL
• COMBAT ID ATD/ACTD	PM-CID	MWBL
• DIRECT FIRE LETHALITY ATD	ARDEC	MWBL
• ROTORCRAFT PILOTS ASSOCIATE ATD	ATCOM	MWBL/AVN
• OBSTACLE AVOIDANCE SYSTEM (OASYS) TD	NVESD	MWBL/AVN
• M-SAT AIR ATD	NVESD	MWBL/AVN
• RADAR DETECTION AND JAMMING ATD	NVESD	MWBL/AVN
• MULTISPECTRAL COUNTERMEASURES ATD	NVESD	MWBL/AVN
• AIR/LAND ENHANCED RECON & TARGETING ATD	NVESD	D&SA
• BISTATIC RADAR FOR WEAPONS LOCATION ATD	NVESD	D&SA
• RAPID COUNTER 240 MRL ACTD	JPSD	D&SA
• SURVIVABLE ARMED RECONNAISSANCE ACTD	JPSD	D&SA

Customers

<u>Army</u>			
<u>PM's</u>		<u>MSC's</u>	<u>BATTLE LAB's</u>
NVEO	Abrams	SOCOM	Dismounted
Firefinder	Bradley	MICOM	Mounted
Combat ID	Armor Gun Sys	TACOM	Combat Service
JSTARS	Survivability	AVSCOM	Support
TOW/ITAS	M-60	AMCCOM	Early Entry
Javelin	Avenger	ARL	Depth &
LOSAT	Stinger		Simultaneous
Soldier	FAAD	<u>MACOM's</u>	Attack
JPSD	TESAR	AMC FAST	Battle Command
		INSCOM	

<u>DoD</u>	
ARPA	Marines
Navy	DSMO
Air Force	BMDO
JSOC	JPO-UAV
JPO-UGV	

<u>Other Gov't</u>	
DEA	Transportation
FBI	NASA
State	DOE
INS	DNA
NSA	

Sensor Development Challenges


State of Detection / Sensing Technology

- Detector/Detection Systems for Many Sensor Sensing Devices are Reaching the Fundamental Limits of Physics

Where Do We Go From Here?

- Significant Performance Improvements Only Possible by:
 - Integration, Miniaturization, and Digitization
 - Multiple Sensor Fusion and Data Fusion
 - Information Processing Advances (Software/Hardware) in Connection with Quality Data Bases / Collection
 - Advanced Design Techniques

Projected Field Usage Of Battlefield Sensors



Dual Use / Civilian Markets

- **Transportation Safety**
 - Commercial Driving Aids
 - Integrated Airport Landing System
 - Traffic Surveillance
 - Railroad Obstacle Sensing
- **Geological Research**
- **Undersea Research**
- **Industrial/Commercial Security Systems**
- **Recreation - Ultra-Low-Cost Family of Night Vision Products**
- **Medical Applications**
 - Laser Surgery
 - Night Blindness
 - Imaging
- **Wildlife Research**

Conclusions

- **Advanced Sensor Development - an Explosive Technology Area**
 - Modern Life Cannot Exist Without Sophisticated Sensing/Processing Devices
 - Modern Warfare Cannot Be Conducted and Military Tasks Cannot Be Performed Without Appropriate Sensing and Processing
- **Sensing Information Transport Crucial**
 - Sensor Information Needs to Be Fused, Digested and Transported Rapidly
 - Integrated Architectural Structures With Flexibility and Growth Potential Are Fundamental

Night Vision Electronic Sensors Briefings Today

NV Electro-Optics Technology

- **Adv Optics and Display Applications**
- **Smart Focal Plane Arrays**

NV Advanced Technology

- **Open Architecture ATR Processing**
- **Air/Land Enhanced Reconnaissance and Targeting**

Mobility Equipment Technology

- **Mine Detection and Neutralization**



Tactical Electronic Warfare Technology

- **Adv Countermeasure Techniques**

NOTES

NIGHT VISION ELECTRO-OPTICS TECHNOLOGY

ADVANCED OPTICS AND DISPLAY APPLICATIONS



William P. Markey
Chief, Advanced Optics
NIGHT VISION & ELECTRONIC SENSORS
DIRECTORATE
UNCLASSIFIED

POINT PAPER

SUBJECT: *ADVANCED OPTICS & DISPLAY APPLICATIONS*

OBJECTIVE: Advanced Optics Applications will develop and demonstrate a family of core optics and sensor technologies for future head-mounted vision systems. Key technologies/demonstrations include:

- Evaluations of state-of-the-art optics technologies - binary, diffractive, holographic, etc. - for horizontal technology integration across all head-mounted vision systems
- Investigate cost and weight reductions for all potential optical system upgrades using binary optics hybrids.
- Advanced designs for objective and ocular optics
- Critical core display electronics and sensor technologies for helmet-mounted vision system
- Fabrication of advanced optics components for demonstration in head-mounted vision systems
- Exploit ARPA/ARL high resolution displays

POTENTIAL APPLICATIONS:

- Cargo/Utility/SOF Rotorcraft Pilot's Night Vision Goggles
- CS/CSS Tactical Vehicles
- Soldier's Night Vision Goggles

TECHNOLOGY CHALLENGES

- Video Rate High Resolution Sensors And Displays For The Military Environment
- Order Of Magnitude Power Reduction
- Lightweight, Fast F# (<1.5), Wide Field Of View (60°) Optics
- Multispectral, Common Aperture Optics For Targeting And Navigation

DESIRED IR&D FOCUS

- Display Brightness, Gray Scale Improvements
- Ultra Low Noise CCD Sensors
- Economic Mass Production Of Aspheric And Diffractive Optics
- Economic Production Of Off-Axis Reflective Optical Systems

BRIEFER: William Markey, Project Engineer, AMSEL-RD-NV-SS-AA, NVESD, 703-704-1306

Advanced Optics And Display Applications

Objective
















- **Development Of Common Module Electronics, Optics, And Displays For Helmet Mounted Vision Systems Applicable To Infantry, Armor, And Aviation**
- **Applications**
- **Land Warrior**
- **Mounted Warrior**
- **Air Warrior**
- **Comanche AHP**

Advanced Optics And Display Applications




Approach

- Target / Scene Modeling
- Sensor Design
- Image Generator Design
- Read-Out / Driver Electronics Design
- Video / Data Interface Architecture Design
- Objective / Ocular Optics Design
- Design / Producibility Studies

Advanced Optics And Display Applications

Milestones	FY94	FY95	FY96	FY97	FY98
Modeling					
Display Evaluation					
Sensor Evaluation					
RO/Drive Electronics					
Optics					
AI ² DISPLAY					
21 CLW HRDS					
Components					
Integration					
System Fab					
Field Demo					

Advanced Optics And Display Applications



Advanced Optics And Display Applications

Technology Challenges

- **Video Rate High Resolution Sensors And Displays For The Military Environment**
- **Order Of Magnitude Power Reduction**
- **Lightweight, Fast F# (<1.5), Wide Field Of View (60°) Optics**
- **Multispectral, Common Aperture Optics For Targeting And Navigation**



Advanced Optics And Display Applications

IR&D Technology Needs

- Display Brightness, Gray Scale Improvements
- Ultra Low Noise Visible And Near IR CCD Sensors
- Economic Mass Production Of Aspheric And Diffractive Optics
- Economic Production Of Off-Axis Reflective Optical Systems

NOTES

SMART FOCAL PLANE ARRAYS



David J. Bohan
Chief, Advanced Infrared Technology
NIGHT VISION & ELECTRONIC SENSORS
DIRECTORATE
UNCLASSIFIED

POINT PAPER

SUBJECT: *SMART FOCAL PLANE ARRAYS*

OBJECTIVE: Smart FPA's STO will demonstrate the feasibility of "smart" staring infrared FPA's. Smart refers to FPA's with image processing at or near the FPA and/or multiband (optical through millimeter wave) real-time imaging capability. Key developments include:

- Alternative concepts for the development of 3rd Generation FPA detectors utilizing NVESD microfactory (MOMBE) technology and NVESD readout circuitry design
- Early version preprocessing and detector architectures and their implementation
- A/D on chip architectures for digital outputs and reduced noise
- Incorporation of advanced algorithms in hardware on the focal plane for recognition tasks

POTENTIAL APPLICATIONS:

- 2+ and 3rd Gen IR/Multiband sensors
- Autonomous recognition systems

TECHNOLOGY CHALLENGES

- Smart On-Chip Readout Circuits
- Large Staring Focal Plane Arrays
- Multi-Color Architectures

DESIRED IR&D FOCUS

- A/D On-Chip With Very Low Power Dissipation
- High Definition TV Compatible Detectors (At Least 1000 x 2000 Elements)

BRIEFER: Stuart Horn, Project Leader, AMSEL-RD-NV-ST-IRT, NVESD, 703-704-2025

Smart Focal Plane Arrays

Objective

- **Develop Critical On Focal Plane Read-Out Integrated Circuits that Optimize Processing And Spectral Response To Improve Range Performance, Human / ATR Interfaces, Minimize Performance Degradation From Weather or CM of Next Generation Smart Sensors**
- **Applications**
- **Future Armor And Aviation Systems And Upgrades**
- **Smart / Brilliant Munitions**

Smart Focal Plane Arrays


Approach

- Develop Critical On Focal Plane Read-Out Integrated Circuits (ROICs) For 3rd Generation Focal Plane Arrays
 - SADA II A/D Circuit To Increase S/N And Dynamic Range
 - Bio-Inspired ROIC To Perform On FPA Processing That Mimics Human Retinal Moving Target Detection
 - Neuromorphic ROIC That Provides Pixel Based Non-Uniformity Correction, Contrast / Edge Enhancement, Dynamic Range Control
 - Deep Well ROIC That Increases Sensitivity And Dynamic Range To Enhance Poor Weather Range Performance And ATR Capability

Smart Focal Plane Arrays

Milestones	FY94	FY95	FY96	FY97
Modeling & Analysis				
Staring Performance Model				
Staring Testbed				
Mini-Demos				
A/D SADA II				
Bio-Inspired ROIC				
Deep Well ROIC				
Neuromorphic ROIC				

Smart Focal Plane Arrays



Smart Focal Plane Arrays

Technology Challenges

- Smart On-Chip Readout Circuits
- Large Staring Focal Plane Arrays
- Multi-Color Architectures



IR&D Technology Needs

- A/D On-Chip With Very Low Power Dissipation
- High Definition TV Compatible Detectors
(At Least 1000 x 2000 Elements)

NOTES

NIGHT VISION ADVANCED TECHNOLOGY

OPEN ARCHITECTURE ATR PROCESSING



David J. Bohan
Chief, Advanced Infrared Technology
NIGHT VISION & ELECTRONICS SENSORS
DIRECTORATE

UNCLASSIFIED

POINT PAPER

SUBJECT: *OPEN ARCHITECTURE ATR PROCESSING*

OBJECTIVE: Modular High Density, High Performance Processor Technology will leverage Aladdin-like, multi-chip module (MCM) technology to develop a family of common, open architecture high performance image and digital signal processor modules for advanced weapons applications. Key developments include:

- Computer-aided design techniques and commercial/ARPA developed rapid prototyping tool sets will be utilized to develop a modular processor architecture
- Identify and utilize commercial techniques, practices, modules, and boards for cost effectiveness and upgradability
- Common ATR Processor Modules and Algorithm Software Packages for both ground VME and airborne SEM hardware architectures.

POTENTIAL APPLICATIONS

- Multiple Tri-service ATR applications
- FMBT / FIFV / FSV / Comanche Upgrades / FAAV / Future Smart munitions

TECHNOLOGY CHALLENGES

- Leverage The Commercial World In Both Hardware And Software Technology To Provide Cost Affordable Solutions While Still Meeting The Stringent Demands For Battlefield Operational Missions And Scenarios
- Develop A New Discipline For Providing Computing Resources For Military Applications.

DESIRED IR&D FOCUS

- Focus On A Systematic Approach To Developing A Cohesive And Comprehensive Simulation And Modeling Capability That Provides The Means For Developing Virtual Prototypes Of The Processor System Prior To System Development
- Address Open System Architecture Methodology For Providing Scalable, Upgradable And Cost Affordable Processing Solutions

BRIEFER: Lynda Graceffo, Project Engineer, AMSEL-RD-NV-ST-IRT, NVESD, 703-704-1745

Open Architecture ATR Processing

Objective

- **Develop An Affordable, Open Architecture For High Performance Image / Signal Processing And Automatic Target Recognition Applications**
- **Applications**
- **Future Armor And Aviation Systems And Upgrades**
- **Smart / Brilliant Munitions**

Open Architecture ATR Processing


Approach

- Identify And Utilize COMMERCIAL Techniques, Practices, Modules, And Boards To Demonstrate Cost Effective Processing Solutions For Military Applications
 - Leverage Aladdin-Like, Multi-Chip Module (MCM) Technology
 - Exploit Computer-Aided Design Techniques And Commercial / ARPA Developed Rapid Prototyping Tool Sets To Develop An Open, Modular Processor Architecture
 - Establish Rapid Prototyping, Development, And Integration Facility


Open Architecture ATR Processing

Milestones	FY94	FY95	FY96	FY97	FY98	FY99
Architecture Studies						
Open Architecture HW						
Operating System						
Integrate High Performance Modules						
Into Open Architecture						
Implement Critical Functions						
Integrate Common ATR Processor Demonstrator						
Demo Arch Flexibility & Multiple Applications						


Open Architecture ATR Processing



• Open Architecture
ATR Operating
System



• Commercial HW
Modules



Open Architecture ATR Processing

Technology Challenges

- **Leverage The Commercial World In Both Hardware And Software Technology To Provide Cost Affordable Solutions While Still Meeting The Stringent Demands For Battlefield Operational Missions And Scenarios**
- **Develop A New Discipline For Providing Computing Resources For Military Applications**



Open Architecture ATR Processing

IR&D Technology Needs

- Focus On A Systematic Approach To Developing A Cohesive And Comprehensive Simulation And Modeling Capability That Provides The Means For Developing Virtual Prototypes Of The Processor System Prior To System Development
- Address Open System Architecture Methodology For Providing Scalable, Upgradable And Cost Affordable Processing Solutions

NOTES

AIR/LAND ENHANCED RECONNAISSANCE AND TARGETING



Dr. Donald A. Reago
Chief, Airborne Applications
NIGHT VISION & ELECTRONIC SENSORS
DIRECTORATE

UNCLASSIFIED

POINT PAPER

SUBJECT: *AIR/LAND ENHANCED RECONNAISSANCE AND TARGETING (ALERT)*

OBJECTIVE: The Multi-Sensor Aided Targeting-Air (MSAT-Air) ATD demonstrated real-time aided target detection and recognition using fused data from millimeter wave (MMW) and second generation Forward Looking Infrared (FLIR) sensors. Though highly successful, the MSAT-Air approach to aided targeting works only in a static (pop-up) search scenario and can not be used by two-thirds of the Apache and Comanche fleets, Kiawa Warriors, and ground combat vehicles that will not have MMW radar as part of their mission equipment package. This ATD will demonstrate on-the-move automated surveillance and targeting applicable to those platforms that do not have a MMW radar sensor. 2nd Gen FLIR and multi-function laser data will be combined to allow large search areas to be covered with high targeting accuracy while at low depression angles and high platform motion. Range profiling of the highest priority targets will provide target identification. Key technologies/demonstrations include:

- Aided target detection and recognition capabilities for static and on-the-move searches approaching the results of FLIR/MMW sensor fusion
- Combine 2nd GEN FLIR and multi-function laser for directing fire to targets, providing battle damage assessment, and providing the information in a timely and efficient manner
- Application to all platforms using a 2nd GEN FLIR and laser rangefinder/designator

POTENTIAL APPLICATIONS:

- All platforms within the tri-services that incorporate a 2nd GEN FLIR and laser rangefinder/designator

TECHNOLOGY CHALLENGES

- High Repetition Rate Multi-Function Laser
- Real-Time Processing For Target Detection And Identification
- Sensor Data Correlation / Fusion While On-The-Move

DESIRED IR&D FOCUS

- Multi-Function Laser For Target Range, Profiles, And Designation
High Speed CPU And Bus For Image Processing And Data Correlation
(Commonality And Expandability For Potential Applications)

BRIEFER: Richard Wright, Project Engineer, AMSEL-RD-NV-SS-AA, NVESD,
703-704-1329

Air/Land Enhanced Reconnaissance and Targeting ATD

Objective

- **Demonstrate On-The-Move Performance Of Multiple Sensor Identification In An Airborne, Automatic Target Acquisition Suite to Improve Ability To Rapidly Acquire Targets With Low False Alarm Rates At Extended Ranges In Day, Night And Adverse Weather**

Air/Land Enhanced Reconnaissance and Targeting ATD

Applications

- **RAH-66 Comanche**
- **AH-64C Apache**
- **OH-58D Kiowa Warrior**
- **Precision Strike**
- **Advanced Land Combat**

Air/Land Enhanced Reconnaissance and Targeting ATD


Approach

- **Demonstrate ON-THE-MOVE Wide Area Search Through Advanced FLIR / Laser**
 - **Install Multi-Function Laser Range Finder / Designator**
 - **Incorporate EO MTI / USAF Fractil Algorithm Upgrades**
 - **Incorporate Neural Net Into Algorithms**
 - **Complete The Target Acquisition Process By Adding Moving Target Indication, Target Priority, Tracking And Hand-off, And BCIS**
 - **Provide Data Compression And Transmission Of Targeting Reports And Imagery**

Air/Land Enhanced Reconnaissance and Targeting ATD

Milestones	FY95	FY96	FY97	FY98	FY99	FY00
ARPA Neural Net Algorithm Data Base Algorithm Development Comanche Dual Mode Laser	Phase 2 Phase 3 Proposed	Baseline On-The-Move Data Collection	Dual Mode Laser / Scanned Laser / Profile Laser			
			Center Of FOV	Range Mapping	Target Profiles	
			Procure Laser	Modify Laser		
			ICD / CDR	Fabricate	Test & Eval	
Profile ID Laser UH-60 Integration UH-60 Demonstrations Transition To Comanche			Basic Laser	Laser Scan Upgrade	Profile Laser	
			Basic Design	On The Move With Range Map	On The Move & Identification	

Air/Land Enhanced Reconnaissance and Targeting ATD



Air/Land Enhanced Reconnaissance and Targeting ATD

Technology Challenges

- High Repetition Rate Multi-Function Laser
- Real-Time Processing For Target Detection And Identification
- Sensor Data Correlation / Fusion While On-The-Move
- Algorithm Development
- Laser Diodes

Air/Land Enhanced Reconnaissance and Targeting ATD



IR&D Technology Needs

- **Multi-Function Laser For Target Range, Profiles, And Designation**
- **High Speed CPU And Bus For Image Processing And Data Correlation (Commonality And Expandability For Potential Applications)**

NOTES

MOBILITY EQUIPMENT TECHNOLOGY

MINE DETECTION AND NEUTRALIZATION



Robert L. Barnard
Chief, Mine Detection
NIGHT VISION & ELECTRONIC SENSORS
DIRECTORATE

UNCLASSIFIED

POINT PAPER

SUBJECT: *MINE DETECTION AND NEUTRALIZATION*

OBJECTIVE: This effort will develop mine detection technology for the detection of buried metallic and non-metallic anti-tank mines across the full vehicle width at a rate commensurate with mounted mobility on the battlefield to enhance the mounted force operational capability and survivability. This program will also integrate multiple detection/ sensing and neutralization technologies into a single system to provide the ability to both detect and kill mines and unexploded ordnance at a standoff range. Key technologies/demonstrations include:

- Infra-red detection scheme on a combat vehicle.
- Forward looking microwave detection device.
- Breadboard/explosive neutralizer mounted in a combat vehicle.
- Technology alternatives to support automated targeting capability and standoff detection.

POTENTIAL APPLICATIONS:

- Minefield breaching
- Route clearing
- Vehicle mounted mine detection
- Range clean-up
- Demining in operations other than war

TECHNOLOGY CHALLENGES

- Automatic Target Recognition
- False Alarm Rate
- Deep Magazine
- Detection Of Non-Metallic Mines
- Forward Looking Mine Detection
- Mine Detection In High Clutter Environments
- Mine Detection In Diverse Environments

DESIRED IR&D FOCUS

- Forward Looking Mine Sensors
- Low Cost Neutralization Techniques
- Multi-Sensor Data Fusion
- Automatic Target Recognition
- Stand-Off Detection

BRIEFER: Richard Weaver, Project Leader, AMSEL-RD-NV-CD-MN, NVESD, 703-704-1090

Mine Detection And Neutralization

Objective

- **Demonstrate The Maturity Of A Vehicular Mounted Mine Detector That Detects Metallic And Non-Metallic Mines At Tactical Speeds**
- **Develop An Integrated System Concept For Autonomous Detection And Destruction Of Mines At Maneuver Speeds**

Mine Detection And Neutralization

Applications


- Joint Countermine Advanced Concept Technology Demonstration (JCACTD)
- Transition to PEO ASM
- Minefield Breaching
- Mine And Route Clearing
- Demining

Mine Detection And Neutralization


Approach

- **Combine Mine Detection And Neutralization Technologies Into An Integrated Autonomous System Capable Of Detecting, Locating, And Destroying Mine Targets**
- **Demonstrator Development**
 - Develop Two Multi-Sensor Suite Approaches
 - Electromagnetic Induction
 - Down And Forward Looking Ground Penetrating Radars
 - Forward Looking IR
 - Sensor Fusion / ATR

Mine Detection And Neutralization



Mine Detection And Neutralization



Mine Detection And Neutralization

Technology Challenges

- Detection Of Non-Metallic Mines
- Forward Looking Mine Detection
- Mine Detection In High Clutter Environments
- Mine Detection In Diverse Environments
- Automatic Target Recognition
- False Alarm Rate
- Deep Magazine

Mine Detection And Neutralization



IR&D Technology Needs

- **Multi-Sensor Data Fusion**
- **Automatic Target Recognition**
- **Stand-Off Detection**
- **Forward Looking Mine Sensors**
- **Low Cost Neutralization Techniques**

NOTES

TACTICAL ELECTRONIC WARFARE TECHNOLOGY

ADVANCED COUNTERMEASURE TECHNIQUES



Joseph C. O'Connell
Chief, EO/IR Countermeasures
NIGHT VISION & ELECTRONIC SENSORS
DIRECTORATE

UNCLASSIFIED

POINT PAPER

SUBJECT: *ADVANCED COUNTERMEASURE TECHNIQUES*

OBJECTIVE: Develop Multi-Functional Survivability Equipment To Perform The Roles Of Warning, Situational Awareness, Countermeasures, Targeting And Combat Assist For Aircraft, Ground Vehicles, High Value Targets, And Dismounted Soldiers. Also, demonstrate Multi-Source Countermeasures That Will Be Capable Of Countering Both Present And Future Multi-Color Imaging Focal Plane Array And Non-Imaging Missile Seekers.

POTENTIAL APPLICATIONS:

- ATIRCM And ATIRCM P3I
- Integrated Suite Of ASE
- Tri-Service Common Missile Warning System
- Future Aircraft / Ground Vehicle Survivability Equipment
-

TECHNOLOGY CHALLENGES

- Lightweight, Low Cost, Variable Bandwidth And Sensitivity Digital Receivers
- Fiber Optically Remoted Antennas For Warning And Countermeasures Over The Band Of .1 To 40 Ghz
- Jamming Technique To Protect Rotary Wing Aircraft From Phased Array Tracking And Homing Radars Capable Of Polarization And Space Diversity Operation
- Developing A Lightweight Multiline Laser For IRCM
- Providing Low Cost Missile Warning
- Providing Low Loss Transmission Of Laser Energy
- Detect And Counter Laser Beam Rider Missiles
- Provide Protection To Army Platforms Against Advanced Imaging IR Missiles

DESIRED IR&D FOCUS

- Fiber Optic Capability To Remote Antennas
- Direct Emitting Laser Diodes That Produce .5 To 2 Watts In The 4 To 5 Micron Region At 30 To 50% Duty Cycle And Pulse Widths Of Over 100 msec
- Receiver Antennas Covering .1 To 40 Ghz That Phase And Amplitude Track With A Precision Sufficient To Provide .5 Degrees Or Better Of Angle Of Arrival Accuracy
- Generic IRCM Techniques For Laser Jammers
- Low Cost, High Sensitivity Laser Detectors Coupled To Onboard/Off-board Jammers
- Efficient Solid State IRCM Sources
- Uncooled FPAs For Missile Warning
- Further Develop Fiber Optics For Laser Energy Transmission

BRIEFER: KEITH DUGAS, AMSEL-RD-NV-RMS, NVESD, 908-427-0012

Advanced Countermeasure Techniques

Objective

- **Develop Multi-Functional Survivability Equipment To Perform The Roles Of Warning, Situational Awareness, Countermeasures, Targeting And Combat Assist For Aircraft, Ground Vehicles, High Value Targets, And Dismounted Soldiers**
- **Demonstrate Multi-Source Countermeasures That Will Be Capable Of Countering Both Present And Future Multi-Color Imaging Focal Plane Array And Non-Imaging Missile Seekers**

Advanced Countermeasure Techniques

Applications

- ATIRCM And ATIRCM P3I
- Integrated Suite Of ASE
- Tri-Service Common Missile Warning System
- Future Aircraft / Ground Vehicle Survivability Equipment

Advanced Countermeasure Techniques

Approach

- **Advanced Component Developments
Supported By Integrated Survivability SIL**
 - **Monopulse, Phased Array, LPI Radar Bi-Static
CM**
 - **Precision Low Cost Geolocation of Emitters**
 - **Aircraft Protection/Ground Vehicle Protection
DIS**
 - **RF Fuze/Top Attack Munition ECM**
 - **Solid State Laser Using Optical Parametric
Oscillators (OPOs)**

Advanced Countermeasure Techniques

Approach (cont'd)


- Multi-Line Laser to Defeat Imaging IR Threats
- Optical Coupler To ATIRCM Jam Head Using Hollow Wave Guide
- Low Loss Fiber Optic Cable With Terminations
- Assess ARPA Active Tracker For ATIRCM
- Design And Field Test Barrage Emission Decoy Of Laser Aided Munition (BEDLAM)
- Demonstrate Technology Enhancements to ATIRCM / Tri-Service Common Missile Warning System (CMWS) Core Hardware in the Multispectral Countermeasures ATD

Advanced Countermeasure Techniques

Milestones	FY94	FY95	FY96	FY97	FY98	FY99
Survivability SIL						
Advanced RF Countermeasures						
Monopulse ECM						
Phased Array ECM						
Real-time Emitter ID						
Deception and Jamming ECM Modulator						
Multispectral IR Countermeasures						
Generic Imaging Seeker CM						
ARPA Multi-Line Laser						
BEDLAM						
Laser CM Sim						
Multispectral Countermeasures ATD						

Advanced Countermeasure Techniques

- Warning
- Emitter Location & ID
- Jamming
- Targeting Assist
- Situational Awareness



Advanced Countermeasure Techniques

Technology Challenges

- **Lightweight, Low Cost, Variable Bandwidth And Sensitivity Digital Receivers**
- **Fiber Optically Remoted Antennas For Warning And Countermeasures Over The Band Of .1 To 40 Ghz**
- **Jamming Technique To Protect Rotary Wing Aircraft From Phased Array Tracking And Homing Radars Capable Of Polarization And Space Diversity Operation**

Advanced Countermeasure Techniques

Technology Challenges (cont'd)

- **Developing A Lightweight Multiline Laser For IRCM**
- **Providing Low Cost Missile Warning**
- **Providing Low Loss Transmission Of Laser Energy**
- **Detect And Counter Laser Beam Rider Missiles**
- **Provide Protection To Army Platforms Against Advanced Imaging IR Missiles**

Advanced Countermeasure Techniques

IR&D TECHNOLOGY NEEDS

- **Fiber Optic Capability To Remote Antennas**
- **Direct Emitting Laser Diodes That Produce .5 To 2 Watts In The 4 To 5 Micron Region At 30 To 50% Duty Cycle And Pulse Widths Of Over 100 μ sec**
- **Receiver Antennas Covering .1 To 40 Ghz That Phase And Amplitude Track With A Precision Sufficient To Provide .5 Degrees Or Better Of Angle Of Arrival Accuracy**

Advanced Countermeasure Techniques

IR&D TECHNOLOGY NEEDS CONT'D

- Generic IRCM Techniques For Laser Jammers
- Low Cost, High Sensitivity Laser Detectors Coupled To Onboard/Off-board Jammers
- Efficient Solid State IRCM Sources
- Uncooled FPAs For Missile Warning
- Further Develop Fiber Optics For Laser Energy Transmission

NOTES

CLOSING REMARKS

NOTES

SYMPOSIUM
PARTICIPANTS

MG GERARD P. BROHM
HQ, US Army Communications-Electronics Command
AMSEL-CG
Fort Monmouth, New Jersey 07703
(908) 532-1515

DR. LANCE A. DAVIS
Defense Research and Engineering
Office of Technology Transition
Office of the Secretary of Defense
Room 3D129
The Pentagon
Washington D.C. 20301-3080
(703) 697-9215

MR. ROBERT F. GIORDANO
HQ, US Army Communications-Electronics Command
AMSEL-RD
Fort Monmouth, New Jersey 07703
(908) 427-2686

MR. RICHARD ANTONY
HQ, US Army Communications-Electronics Command
AMSEL-RD-IEW-TRF
Vint Hill Farms Station
Warrenton, Virginia 22186
(703) 349-7313

MR. ROBERT L. BARNARD
HQ, US Army Communications-Electronics Command
AMSEL-RD-NV-MDD
Fort Belvoir, Virginia 22060
(703) 704-1066

MR. DAVID J. BOHAN
HQ, US Army Communications-Electronics Command
AMSEL-RD-NV-OD
Fort Belvoir, Virginia 22060
(703) 704-3046

MR. KENNETH BROCKEL
HQ, US Army Communications-Electronics Command
AMSEL-RD-ST-WL-AW
Fort Monmouth, New Jersey 07703
(908) 427-2334

MR. PETER CSIKY
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-BC-CC-1
Fort Monmouth, New Jersey 07703
(908) 427-4698

MR. MICHAEL DiJULIO
HQ, US Army Communications-Electronics Command
AMSEL-RD-ST-WL
Fort Monmouth, New Jersey 07703
(908) 532-0458

MR. JOHN T. DIZER
HQ, US Army Communications-Electronics Command
AMSEL-RD-IEW-TRI
Vint Hill Farms Station
Warrenton, Virginia 22186
(703) 349-7324

DR. FRANK J. ELMER
HQ, US Army Communications-Electronics Command
AMSEL-RD-IEW-TAE-M
Fort Monmouth, New Jersey 07703
(908) 427-5956

MR. LARRY L. FILLIAN
HQ, US Army Communications-Electronics Command
AMSEL-RD-NV-OD
Fort Belvoir, Virginia 22060
(703) 704-1168

MR. HAROLD GORMAN
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-PA
Fort Monmouth, New Jersey 07703
(908) 427-4603

DR. MYRON HOLINKO
HQ, US Army Communications-Electronics Command
AMSEL-RD-DB-SPO
Fort Monmouth, New Jersey 07703
(908) 427-2247

MR. RICHARD JACOBS
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-PD-E
Fort Belvoir, Virginia 22060
(703) 704-2637

MR. LARRY LEVINE
HQ, US Army Communications-Electronics Command
AMSEL-RD-ST-SY-RC
Fort Monmouth, New Jersey 07703
(908) 427-4506

LTC ANTHONY J. MANGANIELLO
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-SP
Fort Monmouth, New Jersey 07703
(908) 532-0014

MR. WILLIAM P. MARKEY
HQ, US Army Communications-Electronics Command
AMSEL-RD-NV-LPD
Fort Belvoir, Virginia 22060
(703) 704-1306

DR. JOHN NIEMELA
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-ES
Fort Monmouth, New Jersey 07703
(908) 427-4635

MR. JOSEPH C. O'CONNELL
HQ, US Army Communications-Electronics Command
AMSEL-RD-NV-SE
Fort Monmouth, New Jersey 07703
(908) 427-4870

MR. GEORGE R. OLIVA, JR.
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-D
Fort Monmouth, New Jersey 07703
(908) 427-4851

MR. JEFFREY OZIMEK
HQ, US Army Communications-Electronics Command
AMSEL-RD-ST-SY
Fort Monmouth, New Jersey 07703
(908) 532-5496

DR. DONALD A. REAGO
HQ, US Army Communications-Electronics Command
AMSEL-RD-NV-ASID
Fort Belvoir, Virginia 22060
(703) 704-1301

MR. LOCKWOOD REED
HQ, US Army Communications-Electronics Command
AMSEL-RD-C2-BC-CC
Fort Monmouth, New Jersey 07703
(908) 427-2559

MR. MYRON S. SAMUEL
HQ, US Army Communications-Electronics Command
AMSEL-RD-SE-R
Fort Monmouth, New Jersey 07703
(908) 532-5830

COL KENNETH A. THOMAS
HQ, US Army Communications-Electronics Command
AMSEL-RD-ST-D
Fort Monmouth, New Jersey 07703
(908) 427-4449

DR. HOWARD WICHANSKY
HQ, US Army Communications-Electronics Command
AMSEL-RD-ST-WL-AW
Fort Monmouth, New Jersey 07703
(908) 427-4713

DR. FRANCIS WILLIAMS
HQ, US Army Communications-Electronics Command
AMSEL-RD-IEW-DS
Vint Hill Farms Station
Warrenton, Virginia 22186
(703) 349-7203

MR. JOHN WILLISON
HQ, US Army Communications-Electronics Command
AMSEL-RD-SE-PRO
Fort Monmouth, New Jersey 07703
(908) 532-2342